

Exterior Door systems you can *trust*



IMPACT CATALOG VOLUME 9

BHIDoors
BY BUILDERS HARDWARE, INC.

bhiflorida.com

THE BHI SYSTEM

*Quality components
create the total package.*

BHI Doors is a collection of best-in-class components (doors, doorglass, frames, astragals, weather seals, thresholds, locksets, and hardware) used to create entry systems with enduring good looks and superior performance. The majority of our door systems are tested to the HVHZ (High Velocity Hurricane Zone) standards, the most stringent hurricane codes ANYWHERE in the United States. Most all of the BHI Door systems meet the minimum Florida Energy code.

Great craftsmanship, beautiful glass patterns, multiple finish hardware options, superior construction, and energy-saving features all come together in a wide range of entry systems that enhance the value of your home and add beauty to everyday living.


BHIDoors *Commitment*



All products featured are in stock ready to be built unless marked special order.

Unless otherwise noted, all products featured can be built into door systems that are compliant with hurricane structural, hurricane impact and the latest energy codes.

BHI Doors continues our commitment to service excellence as we bring enduring beauty and value to exterior doors throughout Florida. – established in 1954.



Add beauty to and increase the value of your home with ODL's innovative line of doorglass.



FIBERGLASS DOORS AND PF FRAMES™

A lifetime of exceptional durability and performance for every door around your home.



CUSTOM GLASS

Custom glass for doors, sidelights, windows and transoms.



VENTILATING DOORS

Let in the breeze without compromising security with an optional window insert in your door (with a security screen).



THRESHOLDS & ASTRAGALS

For additional security and weather protection our systems use DLP thresholds and astragals.

TRILENNIUM™

MULTI-POINT LOCKS

The ultimate fiberglass door security system. Multiple latches and bolts guard against forced entry and create additional weather sealing.



ETCHED GLASS

An unique line of doorglass inserts styled for Florida living. Traditional sandblasting is used to etch clear glass with a variety of nature and obscure designs.



RESIDENTIAL LOCKSETS

Superior functionality, easy installation, and secure performance.



STEEL DOORS

Advanced manufacturing techniques, modern designs, and pre-finished options. Affordable, stylish, and available in many colors.

BHIHinges

Specially designed for high-performance and tested for long lasting endurance.



OVERLAY ART LAMINATE

Endless changeable options of patent pending premium overlay art glass laminate.

Every component in the BHI System is backed by the manufacturer's warranty. For specific warranty information please see our resources page at BHIFlorida.com.



Table of Contents



SELECTION OVERVIEW p.4-11

HURRICANE CODE COMPLIANCE p.4-5

ENERGY & LABEL COMPLIANCE p. 6-7

STANDARD FEATURES p.8-9

OPTIONAL FEATURES p.10-11

SPECIFICATIONS

Unit Sizing p. 96-99

PRODUCT APPROVALS p. 100-103

GLASS SIZE OPTIONS AND PRODUCT PRICE GROUPS p. 104-107

STYLIZER Inside Back Cover

SUPPORT

Dealer Locator, Door Finishing Guides and Warranty Information

buildershardwareflorida.com

CUSTOM GLASS & TRANSOMS p. 12-15
p. 96

DECORATIVE p. 16-46

Decorative Glass p. 18-19
Options Overview

Destination p. 20-22
Waterside
Crosswalk
Park Place

Perspectives p. 23-27
Privacy Glass
Chinchilla
Blanca
Linen
Streamed
Micro-Granite

Old World p. 28-30
Paris
Jacinto
Camden

Eclectic p. 31
Mohave

Contemporary p. 32-36
NEW! Mistify
NEW! Salix
Renewed Impressions
Uptown
Entropy

Craftsman p. 37
Topaz

Classic p. 38-46
NEW! Piña
Gemini
Bristol
Memoria
Expressions
Cadence
Grace
Heirlooms
Majestic

ETCHED GLASS p. 47-52
Nature Series
Privacy Glass

OVERLAY ART LAMINATE p. 53-57
Textured Series
Nature Glass

DOORS AROUND THE HOME p. 58-70
Light-Touch Enclosed Blinds
Nova 90 Direct Glazed (and SDL bars)
Turtle Glass
One Lights (and SDL bars)
Simulated Divided Lights
Grilles Between Glass
Prairie Style

WINDSERT VENTING LIGHT DOORS p. 71-73

SOLID PANEL DOORS p. 74-86
Modern & Shaker
Rustic
Woodgrain
Smooth
Steel Doors

COMPONENTS & HARDWARE p. 87-95
Door Frames
Brickmold/Trim
T-Astragals
Thresholds
Weatherstripping
Hinges
Locksets
High Security Locksets



FOR IMPACT DOOR OFFERINGS SEE PAGES 16-86

HVHZ IMPACT = HVHZ STRUCTURAL & IMPACT RATED

WBD IMPACT = Florida Wind-Borne Debris (WBD) STRUCTURAL & IMPACT RATED

INSTOCK
 • HVHZ STOCK ○ HVHZ SPECIAL ORDER
 • WBD STOCK ○ WBD SPECIAL ORDER

High Velocity Hurricane Zone & Wind-Borne Debris

IMPACT RATED DECORATIVE

DESTINATION
 PERSPECTIVES
 OLD WORLD
 ECLECTIC
 CONTEMPORARY
 CRAFTSMAN
 CLASSIC

Severe Weather
 All impact glass door offerings use this ALUMINUM frame.
 • Available in white powder coat
 • Product comes with screw hole covers

FLAT PROFILE

ALL DOOR SYSTEMS ARE SOLD UNFINISHED
 DRG = WOODGRAIN TEXTURED
 DRF = FIR GRAIN TEXTURED




BHI quotes and order acknowledgments list the product approvals needed for each pre-hung door system. For additional code approvals and specific design pressure ratings, please see pages 168-171.

Some doors are approved for HVHZ for in-swing application but may have overhang requirements. Some systems with very high design pressure ratings may require surface bolts, and/or dead bolt security strikes.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

See impact testing video.



Our expertise in Florida and High Velocity Hurricane Zone (HVHZ) building codes means you can trust **BHI Doors** systems to comply with the unique requirements needed for hurricane code compliance.

SELECTION OVERVIEW ENERGY COMPLIANCE



ENERGY COMPLIANCE

BHI and our suppliers of major fenestration components have made it a joint effort to focus on compliance with the Florida Building Code - 5th Edition Energy Conservation.

Groups of products that meet the minimum energy standards for both solar heat gain coefficient (SHGC) and U-Factor in both climate zones will display this logo at the top of the page.



DRS00 686/687/624GBG 10L SLS00 694GBG 5L DRS00 686/687/624GBG 10L SLS00 694GBG 5L


Individual products that DO NOT meet the minimum Energy standards will display this logo.

ENERGY CODE EXEMPTIONS

There are also exemptions for products that DO NOT meet the energy standards.

The Prescriptive method of compliance allows one glazed fenestration per dwelling unit of up to 15 square feet "of glazed fenestration" to be exempt from the U-factor and SHGC requirements R402.1.(1), and also one side hinged opaque door assembly up to 24 square feet to be exempt from U-factors (Section R402.1.(.3 & .4)). If using this exemption, doors bearing this mark may be used as single door units. Other exemptions for doors bearing this mark may be used when using whole house energy engineering compliance method.

Florida Energy Efficiency Requirements



BHI and its suppliers of major components are Energy Star Partners. Energy Star Certified products are available upon request.

SELECTION OVERVIEW DOOR LABELING



ENERGY LABELING

Labels will reference specific numbers listed in the certified products directory (CPD) of the National Fenestration Rating Council (NFRC). The CPD numbers shown are also listed with BHI's third-party quality assurance provider, National Accreditation Management Institute (NAMI) for thermal quality assurance compliance.

BHI doors that meet the Energy Standards will have at least 2 Energy Performance labels.

- One permanent label attached to the hinge side of the door slab.
- One temporary label which will be attached to the face of the door.



STRUCTURAL CERTIFICATION LABELING

Builders Hardware inc.
Plastpro/Nanya Plastic FL# 15210.4
MANUFACTURER STIPULATES CONFORMANCE TO:
TAS 201,202,203 - ASTM E48 NOA 17-0712.05/16-0314.11
DP RATING +75-75 PSF 1/8", 1/2", 1" GLAZED UNIT IN/OUT
MAX TEST SIZE 3/0 X 6/8 X
FL CERT # 1773 ANSI # 0651


Some door unit sizes and configurations may require specific design pressure ratings. For these units, labels will be applied with specific stipulations that conform to varying codes within the State.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

SELECTION OVERVIEW STANDARD FEATURES

ALL SMOOTH SKIN DOOR SYSTEMS INCLUDE:

- White fiberglass doors
- Smooth white 4 9/16" composite door frames
- White powder coat aluminum T-astragal (Double Doors)
- White weather-strip
- Inswing or outswing threshold mill finish
- Stainless steel security hinges



White fiberglass doors

RESIDENTIAL 25 YEAR LIMITED WARRANTY



White weather-strip
Smooth white composite door frames



Stainless steel security hinges




Inswing or outswing threshold mill finish



White powder coat aluminum T-astragal (Double Doors)

ALL WOODGRAIN TEXTURED DOOR SYSTEMS INCLUDE:

- Textured fiberglass doors
- Textured 4 9/16" composite door frames
- Stainable aluminum T-astragal (Double Doors)
 - Bronze weather-strip
- Inswing or outswing threshold mill finish
 - Stainless steel security hinges



Textured fiberglass doors

RESIDENTIAL LIMITED LIFETIME WARRANTY



Bronze weather-strip
Textured composite door frames



Stainless steel security hinges



Inswing or outswing threshold mill finish



Stainable aluminum T-astragal (Double Doors)

SELECTION OVERVIEW OPTIONAL FEATURES

SELECTION OVERVIEW OPTIONAL FEATURES

FIBERGLASS DOOR SKINS



SMOOTH (DRS)



WOODGRAIN
TEXTURED (DRG)



RUSTIC (DRA)



FIR GRAIN (DRF)



All smooth doors sold unfinished and can be painted or faux finished.



All woodgrain, rustic and fir grain doors sold unfinished and can be stained or painted.

GLASS DOORS



EXISTING DECORATIVE DESIGNS



OVERLAY ART LAMINATE



VENTILATING DOORS




AROUND THE HOME


CUSTOM GLASS



SIZES



COLORS



DESIGNS



ETCHED

For selecting all component and hardware options see pages 155-163.

COMPOSITE DOOR FRAMES & MOLDINGS



Smooth or Woodgrain
textured brickmold



Smooth frame



Woodgrain textured frame

THRESHOLDS



INSWING OR OUTSWING
HANDICAP



INSWING




OUTSWING



OUTSWING HVHZ

HARDWARE



STANDARD SECURITY LOCKS



HIGH SECURITY MULTI-POINT SYSTEM



EXTERIOR DOOR
SECURITY HINGES



CUSTOM DESIGNS



**KENYON'S
GLASS**
An **ODL** Company

*High Velocity
Hurricane Zone &
Wind-Borne Debris*

- DOORGLASS
- SIDELIGHTS
- TRANSOMS
- WINDOWS

CUSTOM SIZES



CUSTOM COLORS



CUSTOM DESIGNS



CUSTOM DESIGNS



CUSTOM DESIGNS

CUSTOM DESIGNS



Decorative custom glass is our specialty.

Kenyon's Glass prides itself on being one of the leading manufacturers of custom decorative glass for the building industry. They provide design expertise and production of custom decorative panels for doors, sidelights, transoms, windows and other unique installations.



CREATE YOUR OWN



CUSTOMIZE EXISTING DESIGN



BUILD COMPLEMENTARY DESIGNS



Camed Designs

Caming is the thin metal work that joins together the door glass elements. Camed units are available as custom one-of-a-kind or complementary of any designs.

CAMING OPTIONS




Zinc Polished Black Patina Antique Patina Brass Black Matte Patina Oil Rubbed Bronze



TEMPERED BACKER OPTIONS

The backer glass is the full glass pane that faces the inside of the home.



INTERIOR GLASS PANE OPTIONS



For additional glass color and textured options see our Kenyon's Custom Glass Catalog at BHIFlorida.com
For specifications, sizing limits and framing materials see page 96-99.



**ALL DOORS FEATURED ARE
FLORIDA BUILDING CODE COMPLIANT**



HVHZ Impact

Structural and impact rated
No shutters required



Florida Wind-Borne Debris (WBD) Impact

Structural and impact rated
No shutters required

Product approval matrix, please see pages 100-103.
Code Compliance Guide, see pages 4-7.



686RLI • 694RLI



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

- DESTINATION
- PERSPECTIVES
- OLD WORLD
- ECLECTIC
- CONTEMPORARY
- CRAFTSMAN
- CLASSIC

Severe Weather

All impact glass door offerings use
this ALUMINUM frame.


- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



**IMPACT RATED
DECORATIVE**




ALL DOOR SYSTEMS ARE SOLD UNFINISHED
DRS = SMOOTH SKIN
DRG = WOODGRAIN TEXTURED SKIN
DRF = FIR GRAIN TEXTURED SKIN

Decorative Doorglass Overview

DESTINATION



Waterside



Crosswalk



Park Place

PERSPECTIVES



Chinchilla

PERSPECTIVES



Blanca



Linen



Streamed



Micro-Granite

CONTEMPORARY



Mistify



Salix



Renewed Impressions



Uptown



Entropy

CRAFTSMAN



Topaz

CLASSIC



Piña



Gemini



Bristol



Memoria

OLD WORLD



Paris




Jacinto



Camden

ECLECTIC



Mohave

CLASSIC



Expressions



Cadence



Grace



Heirlooms



Majestic

Decorative Doorglass Overview


DESTINATION
Waterside

Black Chrome Caming

Natural, free-flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze.

Glass Textures;
Clear softwave Glass
Streamed Glass

Privacy Rating 9



DESTINATION
Crosswalk

Nickel Caming

Glass Textures;
Micro-Iced Granite Glass
Gray Softwave Glass
Clear Softwave Glass

Privacy Rating 9



TRANSOMS PAGES 12-15 AND 96-98.




TRANSOMS PAGES 12-15 AND 96-98.

6/8 DOORS



DRS00 686WTS • SLS00 694WTS DRG40 684WTS DRG49 607WTS

8/0 DOORS



DRG0080 612WTS • SLG0080 493WTS

6/8 DOORS



DRG00 686/687CWK • SLG00 694CWK DRS00 624CWK DRS49 607CWK DRS40 684CWK

8/0 DOORS



DRG0080 612CWK • SLG0080 493CWK



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 686WTS • SLS00 694WTS	● ●	● ●				● ●	● ●	● ●
	DRG40 684WTS						● ●	● ●	● ●
	DRG49 607WTS						●		● ●
8/0 DOORS	DRG0080 612WTS • SLG0080 493WTS	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686CWK • SLG00 694CWK	● ●	● ●				● ●	● ●	● ●
	DRG00 687CWK					● ●			
	DRS00 624CWK			● ●	●				
	DRS49 607CWK						○		○ ○
	DRS40 684CWK						● ●	● ●	● ●
8/0 DOORS	DRG0080 612CWK • SLG0080 493CWK	○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.


DESTINATION
Park Place

Nickel Caming

- Glass Textures;
- Micro Granite Glass
- Clear Bevel Glass
- Clear Ripple Glass
- Narrow Reed Glass
- Double Granite Glass

Privacy Rating 9

Park Place glass units are handed.
A=lefthand from outside view.
B=righthand from outside view.



PERSPECTIVES
TEXTURED DOORGLASS
Chinchilla

As touchable as its namesake, Chinchilla's fine lines and organic fur-like texture create a striking wave pattern when seen from afar. It offers a high level of privacy to your home.

Privacy Rating 9



Glass texture can be felt on the inside pane.

6/8 DOORS



DRG00 686PPZNCA
DRG00 686PPZNCB

8/0 DOORS




DRG0080 612PPZNCA
DRG0080 612PPZNCB

6/8 DOORS



DRG00 686CHA
SLG00 694CHA
DRG40 684CHA
DRG29 607CHA

8/0 DOORS



DRG0080 612CHA
SLG0080 493CHA



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686PPZNCA						● ●	● ●	● ●
	DRG00 686PPZNCB						● ●	● ●	● ●
8/0 DOORS	DRG0080 612PPZNCA						● ●	● ●	● ●
	DRG0080 612PPZNCB						● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686CHA • SLG00 694CHA	○ ○	○ ○				● ●	● ●	● ●
	DRG40 684CHA						● ●	● ●	● ●
	DRG29 607CHA						○		○ ○
8/0 DOORS	DRG0080 612CHA • SLG0080 493CHA	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



PERSPECTIVES

TEXTURED DOORGLASS

Blanca


LOW-E

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface.

Privacy Rating 9



DRG00 686/687BLC
SLG00 694BLC
(687 FOR 2/6 DOORS) DRG00 624BLC



6/8 DOORS

8/0 DOORS



DRG6C 814BLC (NOT HVHZ) DRS40 651BLC DRG49 607BLC DRG40 684BLC/672BLC (672 FOR 2/6 DOORS) DRS3F 876BLC (NOT HVHZ) DRS0080 612/496BLC / SLS0080 493BLC (496 FOR 2/6 DOORS) DRS0080 487BLC



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686/687BLC • SLG00 694BLC	● ●	● ●			● ●	● ●	● ●	● ●
	DRG00 624BLC			● ●	●				
	DRG6C 814BLC								●
	DRS40 651BLC						● ●	● ●	● ●
	DRG49 607BLC						●		● ●
	DRG40 684BLC/672BLC					● ●	● ●	● ●	● ●
8/0 DOORS	DRS0080 612/496BLC / SLS0080 493BLC	● ●	● ●			● ●	● ●	● ●	● ●
	DRS0080 487BLC			●	●				

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.


PERSPECTIVES
TEXTURED DOORGLASS

Linen

LOW-E

Reminiscent of a soft linen shirt or an elegantly embroidered linen tablecloth, Linen's lightly etched glass and woven pattern complement casual or formal entryway designs. The translucent white glass and soft moiré of Linen's silkscreened threads give it a high privacy level.

Privacy Rating 9



6/8 DOORS

8/0 DOORS



DRG00 686LNN / SLG00 694LNN DRG40 684LNN DRG49 607LNN DRG0080 612LNN / SLG0080 493LNN



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686LNN • SLG00 694LNN	● ●	● ●				● ●	● ●	● ●
	DRG40 684LNN						○ ○	○ ○	○ ○
	DRG49 607LNN						○		○ ○
8/0 DOORS	DRG0080 612LNN • SLG0080 493LNN	○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



PERSPECTIVES

TEXTURED DOORGLASS



Streamed

LOW-E

The pronounced vertical pattern and strong ribbed texture of Streamed creates the illusion of falling water in your entryway, and offers a high level of privacy.

Privacy Rating 9

Glass texture can be felt on the inside pane.



DRG00 624STM
DRG00 686/687STM
SLG00 694STM
(687 FOR 2/6 DOORS)

8/0 DOORS

6/8 DOORS



DRG6C 814STM **NOT HVHZ** | DRG49 607STM | DRS40 651STM | DRS40 684STM/672STM (672 FOR 2/6 DOORS) | DRF3F 876STM (FIR GRAIN) **NOT HVHZ** | DRS0080 612/496STM SLS0080 493STM (496 FOR 2/6 DOORS) | DRS0080 487STM (487 FOR 2/0 & 2/4 DOORS) **NOT HVHZ**



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 624STM			● ●	●				
	DRG00 686/687STM • SLG00 694STM	● ●	● ●			● ●	● ●	● ●	● ●
	DRG6C 814STM								●
	DRG49 607STM						●		● ●
	DRS40 651STM						● ●	● ●	● ●
	DRS40 684STM/672STM					● ●	● ●	● ●	● ●
8/0 DOORS	DRF3F 876STM (FIR GRAIN)						●		●
	DRS0080 612/496STM • SLS0080 493STM	● ●	● ●			● ●	● ●	● ●	● ●
	DRS0080 487STM			○	○				

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PERSPECTIVES



TEXTURED DOORGLASS

Micro-Granite

LOW-E

Micro-Granite blends texture and pattern to create a surface reminiscent of small polished pebbles with a high level of privacy.

Privacy Rating 9



Glass texture can be felt on the inside pane.

6/8 DOORS



DRS00 624MG | DRS00 686MG SLS00 694MG | DRS40 684MG | DRG6C 814MG **NOT HVHZ** | DRF3F 876MG (FIR GRAIN) **NOT HVHZ**

8/0 DOORS



DRG0080 612MG SLS0080 493MG



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 624MG			● ●	●				
	DRS00 686MG • SLS00 694MG	● ●	● ●				● ●	● ●	● ●
	DRS40 684MG						● ●	● ●	● ●
	DRG6C 814MG								○
	DRF3F 876MG (FIR GRAIN)						○		○
8/0 DOORS	DRG0080 612MG • SLS0080 493MG	○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.




OLD WORLD STYLE

Paris

● Patina Caming

Glass Textures;
Clear Bevels
Arctic Glass
Clear Renaissance Glass

Privacy Rating 4



OLD WORLD STYLE

Jacinto

● Wrought Iron

Glass texture;
Arctic Glass

Privacy Rating 9



6/8 DOORS



DRF3F 876PS (FIR GRAIN)
NOT HVHZ



DRS00 686PS
SLS00 694PS

8/0 DOORS



DRG4180 607PS
NOT HVHZ



DRS2980 686PS

6/8 DOORS



DRG49 607JA



DRS00 686JA
SLS00 694JA

8/0 DOORS



DRS0080 612JA
SLS0080 493JA



DRS2980 686JA



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRF3F 876PS (FIR GRAIN)						○		○
	DRS00 686PS • SLS00 694PS	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRG4180 607PS						○		○
	DRS2980 686PS						●		● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG49 607JA						●		● ●
	DRS00 686JA • SLS00 694JA	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRS0080 612JA • SLS0080 493JA	●	●				● ●	● ●	● ●
	DRS2980 686JA						●		● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Some stock doors are textured, smooth, or both.

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE

OLD WORLD STYLE
Camden

WROUGHT IRON

Glass Textures;
Tafeta Glass

Privacy Rating 9

Camden glass units are handed.
A=lefthand from outside view.
B=righthand from outside view.



ECLECTIC STYLE
Mohave

Oil-Rubbed Bronze Caming

- Glass Textures;
- Micro-Iced Granite Glass
- Streamed Glass
- Small Hammered Glass
- Gray Soft Wave Glass
- Bronze Seedy Glass
- Pale Amber Soft Wave Glass
- Clear Bevels

Privacy Rating 7



8/0 DOORS

6/8 DOORS




DRG00 686CAMWIA DRG00 686CAMWIB



DRS0080 612CAMWIA DRS0080 612CAMWIB

6/8 DOORS



DRS40 684MOH DRS00 687MOH (687 FOR 2/6 DOORS) DRS00 686MOH SLS00 694MOH DRG49 607MOH

8/0 DOORS



DRS0080 612MOH SLS0080 493MOH DRS2980 686MOH

DOES NOT MEET MINIMUM FLORIDA ENERGY STANDARD (SEE PAGES 8 & 9).



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS		DRG00 686CAMWIA						• •	• •	• •
		DRG00 686CAMWIB						• •	• •	• •
8/0 DOORS		DRS0080 612CAMWIA						• •	• •	• •
		DRS0080 612CAMWIB						• •	• •	• •

• HVHZ STOCK ○ HVHZ SPECIAL ORDER • WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

ALL IMPACT rated doors are also available NON-IMPACT.



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS		DRS40 684MOH						• •	• •	• •
		DRS00 687MOH					• •			
		DRS00 686MOH • SLS00 694MOH	• •	• •				• •	• •	• •
		DRG49 607MOH						○		○
8/0 DOORS		DRS0080 612MOH • SLS0080 493MOH	○ ○	○ ○				• •	• •	• •
		DRS2980 686 MOH						•		• •

• HVHZ STOCK ○ HVHZ SPECIAL ORDER • WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CONTEMPORARY STYLE

Mistify

Mistify is a playful combination of pattern and texture. The black drizzle pattern is fused to softly textured glass, resulting in a mesmerizing statement piece for any modern entryway.

This contemporary doorglass design can be special ordered with black grilles between glass.

Privacy Rating 6

NEW!




CONTEMPORARY STYLE

salix

We combined contemporary lines with organic shapes, paired with accents of color to create a multi-dimensional design that is timeless yet on trend.

Privacy Rating 9

NEW!



6/8 DOORS



DRS00 687MYB
DRG00 686MYB
SLG00 694MYB
DRS2B 684MYB

8/0 DOORS



DRS0080 612MYB
SLS0080 493MYB

6/8 DOORS



DRG00 686SLX
SLG00 694SLX
DRS49 607SLX

8/0 DOORS



DRS0080 612SLX
SLS0080 493SLX



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 687MYB						○ ○			
	DRG00 686MYB • SLG00 694MYB	● ●	● ●				● ●	● ●	● ●	● ●
	DRS2B 684MYB						○ ○		○ ○	
8/0 DOORS	DRS0080 612MYB • SLS0080 493MYB	○ ○	○ ○				● ●	● ●	● ●	

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686SLX • SLG00 694SLX		● ●	● ●				● ●	● ●	● ●
	DRS49 607SLX						●			● ●
8/0 DOORS	DRS0080 612SLX • SLS0080 493SLX		○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.




CONTEMPORARY STYLE

Renewed Impressions

Nickel Caming

The sweeping floral patterns of our signature Impressions decorative glass are elegantly refreshed with nickel caming to create Renewed Impressions. The Contemporary design's textured surface offers a high privacy level.

- Glass Textures;
- Clear Bevels
- Iced Granite Glass
- Streamed Glass
- Clear Renaissance Glass



Privacy Rating 7

CONTEMPORARY STYLE

Uptown


Oil-Rubbed Bronze Caming

3/8" Round Caming

- Glass Textures;
- Thin Reed Glass
- Clear Ice Crystals

Privacy Rating 9

Uptown glass units are handed.
A=lefthand from outside view.
B=rightand from outside view.



6/8 DOORS



DRS40 684RLI



DRG00 686RLI
SLG00 694RLI



DRG00 687RLI
(687 FOR 2/6 DOORS)

8/0 DOORS




DRG0080 612RLI
SLG0080 493RLI

6/8 DOORS



DRG00 686UPTORBA
DRG00 686UPTORBB

8/0 DOORS



DRG0080 612UPTORBA
DRG0080 612UPTORBB



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 684RLI						● ●	● ●	● ●
	DRG00 686RLI • SLG00 694RLI	● ●	● ●				● ●	● ●	● ●
	DRG00 687RLI					● ●			
8/0 DOORS	DRG0080 612RLI • SLG0080 493RLI	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 • 686UPTORBA						● ●	● ●	● ●
	DRG00 • 686UPTORBB						● ●	● ●	● ●
8/0 DOORS	DRG0080 • 612UPTORBA						● ●	● ●	● ●
	DRG0080 • 612UPTORBB						● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CONTEMPORARY STYLE

Entropy

Black Chrome
Caming

Glass Textures;
Clear Bevels
Clear Renaissance
Clear Seedy Granite

Privacy Rating 5

Entropy glass units are handed.
A=lefthand from outside view.
B=riighthand from outside view.




CRAFTSMAN STYLE

Topaz

Patina Caming

Glass Textures;
Micro-Granite Glass
Bronze Softwave Glass
Thin Reed Glass
Clear Bevels

Privacy Rating 9




6/8 DOORS



DRG00 686ENTBCA DRG00 686ENTBCB

8/0 DOORS



DRG0080 612ENTBCA DRG0080 612ENTBCB

6/8 DOORS



DRF3F 876TPZ (FIR GRAIN) NOT HVHZ DRS00 686TPZ SLS00 694TPZ

8/0 DOORS



DRS2980 686TPZ



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 • 686ENTBCA						• •	• •	• •
	DRG00 • 686ENTBCB						• •	• •	• •
8/0 DOORS	DRG0080 • 612ENTBCA						• •	• •	• •
	DRG0080 • 612ENTBCB						• •	• •	• •

• HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



PART NUMBER		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRF3F 876TPZ (FIR GRAIN)						•		•
	DRS00 686TPZ • SLS00 694TPZ	• •	• •				• •	• •	• •
8/0 DOORS	DRS2980 686TPZ						•		•

• HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CLASSIC STYLE

Piña

● Antique Brass Caming

Glass textures;
Seedy Glass
Micro-Granite Glass
Small Hammered Glass
Clear Bevels

Privacy Rating 7

NEW!



CLASSIC STYLE

Gemini

● Black Matte Patina Caming

Glass Textures;
Clear Bevels
Clear Vecchio Glass
Granite Glass

Privacy Rating 8



6/8 DOORS



DRS40 684PNA
SLS60 692PA

DRS50 686PNA
SLS00 694PNA

8/0 DOORS



DRS2980 686PNA
SLS3080 694PNA

DRS0080 612PNA
SLS0080 493PNA

6/8 DOORS



DRS50 686GMBMP

8/0 DOORS



DRS2980
686GMBMP

DR0080
612GMBMP



		PART NUMBER									
		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0		
6/8 DOORS	DRS40 684PNA • SLS60 692PA	● ●	● ●				● ●	● ●	● ●		
	DRS50 686PNA • SLS00 694PNA	● ●	● ●				● ●	● ●	● ●		
8/0 DOORS	DRS2980 686PNA • SLS3080 694PNA	● ●	● ●				●		● ●		
	DRS0080 612PNA • SLS0080 493PNA	● ●	● ●				● ●	● ●	● ●		

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



		PART NUMBER									
		12"	14"	2/0	2/4	2/6	2/8	2/10	3/0		
6/8 DOORS	DRG00 686GMBMP						● ●	● ●	● ●		
8/0 DOORS	DRS2980 686GMBMP						●		● ●		
	DRS0080 612GMBMP						● ●	● ●	● ●		

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CLASSIC STYLE

Bristol

● Satin Nickel Caming

- Glass Textures;
- Clear Bevels
- Clear Cluster Bevels
- Granite Glass
- Hammered Glass

Privacy Rating 7



Shown with Custom Order Sidelights

CLASSIC STYLE

Memoria

● Nickel Caming

Memoria's classic styling celebrates the warm traditions and cherished memories of family and home. Its centerpiece bevel design is accented with a textured surface and nickel caming. Memoria provides a medium level of privacy.

- Glass Textures;
- Clear Renaissance Glass
- Glue Chip Glass
- Clear Bevel Clusters

Privacy Rating 4



6/8 DOORS



DRG00 686BTSN

8/0 DOORS



DRS2980 686BTSN DRG0080 612BTSN

6/8 DOORS



DRS40 684MMR DRG00 686MMR SLG00 694MMR

8/0 DOORS



DRS0080 612MMR SLS0080 493MMR DRS0080 612MMR



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686BTSN						● ●	● ●	● ●
8/0 DOORS	DRS2980 686BTSN						●		● ●
	DRG0080 612BTSN						● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 684MMR						● ●	● ●	● ●
	DRG00 686MMR • SLG00 694MMR	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRS0080 612MMR • SLS0080 493MMR	○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.




CLASSIC STYLE
Expressions

Satin Nickel Caming

Glass Textures;
Clear Bevels
Granite Glass
Gray Renaissance Glass

Privacy Rating 4



Shown with Custom Order Transom

TRANSOMS PAGES 12-15 AND 96-98.

CLASSIC STYLE
Cadence

Patina Caming

Glass Textures;
Clear Bevel Cluster
Ripple Glass
Hammered Glass

Privacy Rating 5



Shown with Custom Order Transom

TRANSOMS PAGES 12-15 AND 96-98.

6/8 DOORS



DRS40 651EX

DRS00 686EX
SLS00 694EX

8/0 DOORS



DRS0080 612EX
SLS0080 493EX

6/8 DOORS



DRG49 607CD

DRS40 651CD

DRS00 686CD
SLS00 694CD

8/0 DOORS



DRS0080 612CD
SLS0080 493CD



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 651EX						● ●	● ●	● ●
	DRS00 686EX • SLS00 694EX	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRS0080 612EX • SLS0080 493EX	○ ○	○ ○				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG49 607CD						●		● ●
	DRS40 651CD						● ●	● ●	● ●
	DRS00 686CD • SLS00 694CD	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRS0080 612CD • SLS0080 493CD	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CLASSIC STYLE

Grace

● Nickel Caming

Glass Textures;
Granite Glass
Micro-Cubed Glass
Micro-Granite Glass
Clear Bevels

Privacy Rating 7



CLASSIC STYLE

Heirlooms

● Satin Nickel Caming

Glass Textures;
Clear Cluster Bevels
Glue Chip Glass
Granite Glass

Privacy Rating 6



TRANSOMS PAGES 12-15 AND 96-98.

6/8 DOORS



DRS00 686GRC
694GRC

8/0 DOORS



DRS0080 612GRC
SLS0080 493GRC

6/8 DOORS



DRS00 686/687HM
SLS00 694HM

DRG49 607HM

DRS40 684HM

8/0 DOORS



DRS0080 612HM
SLS0080 493HM



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 686GRC • SLS00 694GRC	● ●	● ●				● ●	● ●	● ●
8/0 DOORS	DRS0080 612GRC • SLS0080 493GRC	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 686/687HM • SLS00 694HM	● ●	● ●			○ ○	● ●	● ●	● ●
	DRG49 607HM						●		● ●
	DRS40 684HM						● ●	● ●	● ●
8/0 DOORS	DRS0080 612HM • SLS0080 493HM	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



CLASSIC STYLE

Majestic

● Nickel Caming

Glass Textures;
Glue Chip Bevels
Glue Chip Glass
Gray Soft Wave Glass

Privacy Rating 5



Shown with Custom Order Transom

6/8 DOORS

TRANSOMS PAGES 12-15 AND 96-98.

8/0 DOORS



DRS40 651ME



DRS40 684ME



DRS00 686/687ME
SLS00 694ME
(687 FOR 2/6 DOORS)



DRS0080 612ME
SLS0080 493ME



	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 651ME						● ●	● ●	● ●
	DRS40 684ME						● ●	● ●	● ●
	DRS00 686/687ME • SLS00 694ME	● ●	● ●			● ●	● ●	● ●	● ●
8/0 DOORS	DRS0080 612ME • SLS0080 493 ME	● ●	● ●				● ●	● ●	● ●

● HVHZ STOCK ● HVHZ SPECIAL ORDER ● WBD STOCK ● WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

*High Velocity
Hurricane Zone &
Wind-Borne Debris*

NATURE SERIES

CUSTOM ETCHINGS

CREATE YOUR OWN

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



IMPACT
DECORATIVE ETCHED GLASS



ALL DOOR SYSTEMS ARE SOLD UNFINISHED
DRS = SMOOTH SKIN
DRG = WOODGRAIN TEXTURED SKIN

IMPACT DECORATIVE ETCHED GLASS

MEETS ENERGY STANDARDS


MEETS ENERGY STANDARDS

IMPACT DECORATIVE ETCHED GLASS

Etched Glass

Through the artistry of Julian and Karin Mesa, **BHI Doors** offers a unique line of doorglass inserts styled for Florida living. Enhance your door opening with a beautiful etched design. Etched glass displays traditional sandblasting.

Dark background shown in pictures represent clear glass.



Etched Glass

All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert. All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Dark background shown in pictures represent clear glass.

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH4F-STD PALM
DRG00 BH4F-REV PALM



DRG00 BH2F-STD TROPICAL



DRG00 BHIN6-STD PALM

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH1F-STD LILIES



DRS00 BH1U-STD SEA LIFE



DRS00 BH4U-STD MARLIN

Privacy Glass

ANY SIZE door and doorglass can be made obscure by etching.



FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.



		FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.			
PART NUMBER		2/6	2/8	2/10	3/0
6/8 AND 8/0 DOORS	DRG00 BH4F-STD PALM	○ ○	○ ○	○ ○	○ ○
	DRG00 BH4F-REV PALM	○ ○	○ ○	○ ○	○ ○
	DRG00 BH2F-STD TROPICAL	○ ○	○ ○	○ ○	○ ○
	DRS00 BHIN6-STD PALM	○ ○	○ ○	○ ○	○ ○

○ HVHZ SPECIAL ORDER ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.



		FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.			
PART NUMBER		2/6	2/8	2/10	3/0
6/8 AND 8/0 DOORS	DRG00 BH1F-STD LILIES	○ ○	○ ○	○ ○	○ ○
	DRS00 BH1U-STD SEA LIFE	○ ○	○ ○	○ ○	○ ○
	DRS00 BH4U-STD MARLIN	○ ○	○ ○	○ ○	○ ○

○ HVHZ SPECIAL ORDER ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT DECORATIVE ETCHED GLASS



IMPACT DECORATIVE ETCHED GLASS

Etched Glass

An etched circle divided between double doors provides an elegant focal point.

The double panels can be mirror images or feature a scene or pattern which continues between them.

Dark background shown in pictures represent clear glass.

Custom Designs: You imagine it we create it!



Etched Glass

All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert. **All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).**

Dark background shown in pictures represent clear glass.

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BHIC3A-STD HERON
DRG00 BHIC3B-STD HERON



DRG00 BHIC4A-STD DOLPHIN
DRG00 BHIC4B-STD DOLPHIN



DRG00 BHIC6A-STD HERON
DRG00 BHIC6B-STD HERON

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRS00 BHIM1-STD PALMS
DRS00 BHIM1-REV PALMS



DRS00 BHIM2-STD PALMS
DRS00 BHIM2-REV PALMS



DRS00 BHIM4-STD PALMS
DRS00 BHIM4-REV PALMS



DRG00 BH3F-STD BAMBOO

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.



PART NUMBER	2/6	2/8	2/10	3/0
DRG00 BHIC3A-STD HERON		○ ○	○ ○	○ ○
DRG00 BHIC3B-STD HERON		○ ○	○ ○	○ ○
DRG00 BHIC4A-STD DOLPHIN		○ ○	○ ○	○ ○
DRG00 BHIC4B-STD DOLPHIN		○ ○	○ ○	○ ○
DRG00 BHIC6A-STD HERON		○ ○	○ ○	○ ○
DRG00 BHIC6B-STD HERON		○ ○	○ ○	○ ○

○ HVHZ SPECIAL ORDER ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER	2/6	2/8	2/10	3/0
DRS00 BHIM1-STD PALMS	○ ○	○ ○	○ ○	○ ○
DRS00 BHIM1-REV PALMS	○ ○	○ ○	○ ○	○ ○
DRS00 BHIM2-STD PALMS	○ ○	○ ○	○ ○	○ ○
DRS00 BHIM2-REV PALMS	○ ○	○ ○	○ ○	○ ○
DRS00 BHIM4-STD PALMS	○ ○	○ ○	○ ○	○ ○
DRS00 BHIM4-REV PALMS	○ ○	○ ○	○ ○	○ ○
DRG00 BH3F-STD BAMBOO	○ ○	○ ○	○ ○	○ ○

○ HVHZ SPECIAL ORDER ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT DECORATIVE ETCHED GLASS

MEETS ENERGY STANDARDS

Etched Glass

- All designs are etched on Low-E glass.
- All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Dark background shown in pictures represent clear glass.



Premium overlay art glass laminate

TEXTURED SERIES
NATURE SERIES

Vetrilite is a patent pending premium overlay art glass laminate that is applied over one light Low-E glass.

Overlay laminates are very durable – scratch and UV resistant, but can be removed for decor change.

Custom designs:

- Non-trademarked logos
- Street addresses
- Numbers and names
- Modification of existing designs
- Create your own design from a photo or drawing



FLAT PROFILE FRAME (IMPACT GLASS)



OVERLAY ART GLASS



DRS = SMOOTH SKIN
DRG = WOODGRAIN TEXTURED SKIN

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BHBJC-STD JUMPING CRANES (SIMULATED IMAGE, PLEASE REQUEST DRAWING)



DRG00 BH4B-STD PELICAN



DRS00 BH2BA-STD HERON IN THE CYPRESS



DRS00 BH2BB-STD HERON IN THE CYPRESS

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.



PART NUMBER		2/6	2/8	2/10	3/0
6/8 AND 8/0 DOORS	DRG00 BHBJC-STD JUMPING CRANES	○ ○	○ ○	○ ○	○ ○
	DRG00 BH4B-STD PELICAN	○ ○	○ ○	○ ○	○ ○
	DRS00 BH2BA-STD HERON IN THE CYPRESS	○ ○	○ ○	○ ○	○ ○
	DRS00 BH2BB-STD HERON IN THE CYPRESS	○ ○	○ ○	○ ○	○ ○

○ HVHZ SPECIAL ORDER ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

OVERLAY ART GLASS SYSTEM

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

OVERLAY ART GLASS SYSTEM

Overlay Art Glass

The look of luxurious decorative doorglass using premium overlay glass laminate.



Custom Designs Available
TRANSOMS PAGES 96-98.




Overlay Art Glass

- Privacy level 8
- Energy efficient Low E doorglass
- Scratch and UV resistant, but can be removed for decor change
- Custom designs and logos
- Transoms
- Five year warranty on overlay
- Overlays can also be special ordered with designs that have clear (CL) backgrounds.

Overlay Art Glass units are handed.
A=lefthand from outside view.
B=riighthand from outside view.

TEXTURED SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



TSCP700A GLAMOROUS DUPLICITY MONOCHROME (CLEAR AND OBSCURE) TSCP700B GLAMOROUS DUPLICITY MONOCHROME
 TSAB100A ABOVE THE RIVER MONOCHROME TSCP100 STREAMLINES MONOCHROME TSCP200A DIFFERENT PATHS MONOCHROME
 TSTA100A SEA OF LIFE MONOCHROME TSTA100 SEA OF LIFE MONOCHROME TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT

TEXTURED SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



TSC400 HEARTS & DIAMONDS MONOCHROME TS1500A HORIZONTAL COLOR TS1600A VERTICAL COLOR TS800A WAVES MONOCHROME TS800A WAVES MONOCHROME HALFLIGHT
 TS1100A FLOWING WAVELETS MONOCHROME TS2000 TEXTURED WAVES MONOCHROME

		12"		14"		2/0		2/4		2/6		2/8		2/10		3/0	
6/8 AND 8/0 DOORS	TSCP700A GLAMOROUS DUPLICITY MONOCHROME									●	●	●	●	●	●	●	●
	TSCP700B GLAMOROUS DUPLICITY MONOCHROME									●	●	●	●	●	●	●	●
	TSAB100A ABOVE THE RIVER MONOCHROME									●	●	●	●	●	●	●	●
	TSCP100 STREAMLINES MONOCHROME									●	●	●	●	●	●	●	●
	TSCP200A DIFFERENT PATHS MONOCHROME										●	●	●	●	●	●	●
	TSTA100A SEA OF LIFE MONOCHROME					●	●	●	●	●	●	●	●	●	●	●	●
	TSTA100 SEA OF LIFE MONOCHROME SIDELIGHT	●	●	●	●												
TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT										●	●	●	●	●	●	●	

● HVHZ STOCK ● HVHZ SPECIAL ORDER ● WBD STOCK ● WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type.
 Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

		12"		14"		2/0		2/4		2/6		2/8		2/10		3/0	
6/8 AND 8/0 DOORS	TSC400 HEARTS & DIAMONDS MONOCHROME											●	●	●	●	●	
	TS1500A HORIZONTAL COLOR											●	●	●	●	●	
	TS1600A VERTICAL COLOR											●	●	●	●	●	
	TS800A WAVES MONOCHROME											●	●	●	●	●	
	TS800A WAVES MONOCHROME HALFLIGHT											●	●	●	●	●	
	TS1100A FLOWING WAVELETS MONOCHROME											●	●	●	●	●	
TS2000 TEXTURED WAVES MONOCHROME											●	●	●	●	●		

● HVHZ STOCK ● HVHZ SPECIAL ORDER ● WBD STOCK ● WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type.
 Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

ENCLOSED BLINDS

NOVA 90

ONE LIGHTS
(LOW-E, CLEAR, AND TURTLE)

SIMULATED DIVIDED LIGHTS

GRILLES BETWEEN GLASS (GBG)

PRAIRIE (GBG)

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



IMPACT RATED
DOORS AROUND THE HOME



ALL DOOR SYSTEMS ARE SOLD UNFINISHED
DRS = SMOOTH SKIN
DRG = WOODGRAIN TEXTURED SKIN
DRF = FIR GRAIN TEXTURED SKIN

Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Adjustable Privacy Rating

Low-E Glass



8 ft. Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.


Adjustable Privacy Rating

Low-E Glass



Available in White (Stock) or Slate Gray (Special Order)

6/8 DOORS



DRS40 684RLB/672RLB
(672 NEW FOR 2/6 DOORS)

DRS00 686RLB
SLS00 690RLB

DRS00 687RLB
(FOR 2/6 DOORS)

DRS00 624RLB
(FOR 2/0 OR 2/4 DOORS)
CLEAR GLASS ONLY

8/0 DOORS



DRS0080 612RLB

DRS0080 496RLB
SLS0080 493RLB
(496 FOR 2/6 DOORS)

DRS0080 487RLB
(FOR 2/0 & 2/4 DOORS)
NOT HVHZ
CLEAR GLASS ONLY



To meet the minimum Energy Standards for full glass doors, Low-E is required.

Full Glass Low-E Full Glass CLEAR

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS40 684RLB / 672RLB					● ●	● ●	● ●	● ●
DRS00 686RLB • SLS00 690RLB	● ●	● ●				● ●	● ●	● ●
DRS00 687RLB					● ●			
DRS00 624RLB			●	● ●				

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



To meet the minimum Energy Standards for full glass doors, Low-E is required.

Full Glass Low-E Full Glass CLEAR

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS0080 612RLB						● ●	● ●	● ●
DRS0080 496RLB					● ●			
SLS0080 493RLB	● ●	● ●						
DRS0080 487RLB			●	●				

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

plastpro®

Nova 90

NEW!

1-Lite Low-E 366

Direct Glazed Impact Doors



One Light Turtle Glass

Thousands of marine turtles nest in U.S. coastal areas. State and local ordinances protect hatchling turtles by limiting the brightness of inside-to-outside visible light transmittance.

Turtle Glass is Solar Gray - Solar Gray / SGSG

Full Length LVL Reinforcement (Hinge & Strike Side, For Extra Rigidity)


Insulated 1" Glass that offers 10% wider view

Compression Molded Fiberglass Skin

Integrally Molded Glass Stop

High Density Polyurethane Foam

Available Special Order: White Translucent and Blinds Between Glass



SDL BARS
Nova 90 also available with many SDL bar configurations.

Nova 90 with translucent glass.

All door panels are sold unfinished. Nova 90 smooth skin is a white brushed texture.

6/8 DOORS



DRS40 684SGSG DRS00 686SGSG • SLS00 694SGSG DRS00 687SGSG DRS00 686SGSG

8/0 DOORS



DRS1S80LIR / SLS1S80LIR 1 LITE DRS1S80LIR SDL BARS

8/0 DOORS



DRS0080 612SGSG • SLS0080 493SGSG DRS0080 496SGSG DRS0080 612SGSG



6/8 DOORS



DRS1SLIR SDL BARS DRS1SLIR / SLS1SLIR 1 LITE



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS1SLIR SDL BARS Low-E 366						● ●	● ●	● ●	● ●
	DRS1SLIR Low-E 366			● ●		● ●	● ●	● ●	● ●	● ●
	SLS1SLIR SIDELIGHT Low-E 366	● ●	● ●							
	DRS1STLIR Translucent Glass Low-E 366						●			●
8/0 DOORS	DRS1S80LIR Low-E 366			● ●		● ●	● ●	● ●	● ●	● ●
	SLS1S80LIR SIDELIGHT Low-E 366	● ●	● ●							
	DRS1ST80LIR Translucent Glass Low-E 366						●			●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 684SGSG							● ●	● ●	● ●
	DRS00 686SGSG • SLS00 694SGSG	● ●	● ●					● ●	● ●	● ●
	DRS00 687SGSG					● ●				
8/0 DOORS	DRS0080 496SGSG					● ●				
	DRS0080 612SGSG • SLS0080 493SGSG	● ●	● ●					● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat glass.

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.



Shown with Custom Order Transom
TRANSOMS PAGES 12-15 AND 96-98.

8 ft. One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat glass.

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.

6/8 DOORS



8/0 DOORS



		HVHZ IMPACT		WBD IMPACT		PART NUMBER																
						12"	14"	2/0	2/4	2/6	2/8	2/10	3/0									
6/8 DOORS	DRS40 651										●	●	●	●								
	DRS40 684 / 672									●	●	●	●	●	●							
	DRG49 607										●			●	●							
	DRS00 624							●	●													
	DRS00 687									●	●											
	DRS00 686 • SLS00 694						●	●				●	●	●	●	●						
	DRF3F 876 (FIR GRAIN)										●			●								

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

		HVHZ IMPACT		WBD IMPACT		PART NUMBER														
						12"	14"	2/0	2/4	2/6	2/8	2/10	3/0							
8/0 DOORS	DRS4180 607										●		●							
	DRS3080 686										●		●							
	DRS0080 612										●	●	●	●						
	DRS0080 496									●	●									
	DRS0080 487								●	●										
	SLS0080 493						●	●												


● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

Simulated Divided Lights

MI SERIES

One light ODL glass with Simulated Divided Lights.


- Available in 3 sizes: 1" 3 1/2" & 5"
- Smooth, paintable and made from recycled materials.
- Available in 6/8 and 8/0




The glass texture can be felt on the inside panes on the following designs: Chinchilla, Micro-Granite, Rain and Streamed.

Simulated Divided Lights

Available glass textures are all Low-E



Many SDL bar configurations available.



6/8 DOORS



8/0 DOORS



		HVHZ IMPACT		WBD IMPACT		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 SDL 2-LIGHT (SIDELIGHT 1-LIGHT)	●	●	●	●	●	●	●	●	●	●	●	●	●
	SLS00 SDL 3-LIGHT	●	●	●	●									
	DRS00 SDL 4-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS00 SDL 5-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS00 SDL 6-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS00 SDL 7-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

		HVHZ IMPACT		WBD IMPACT		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
8/0 DOORS	DRS0080 SDL 2-LIGHT (SIDELIGHT 1-LIGHT)	●	●	●	●	●	●	●	●	●	●	●	●	●
	SLS0080 SDL 3-LIGHT	●	●	●	●									
	DRS0080 SDL 4-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS0080 SDL 5-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS0080 SDL 6-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●
	DRS0080 SDL 7-LIGHT	●	●	●	●	●	●	●	●	●	●	●	●	●


● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
 All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

Grilles Between Glass



5/8" GRILLE BAR

Available in Clear or Low-E



Available with Low-E Glass

8ft. Grilles Between Glass



5/8" GRILLE BAR

Available in Clear or Low-E

Available with Low-E Glass

6/8 DOORS



DRS00 686/687 15L SLS00 694 5L (687 FOR 2/6 DOORS) DRS00 686/687 10L (687 FOR 2/6 DOORS) DRS49 607 6L 316058 SLS00 624 10L (FOR 2/0 & 2/4 DOORS) DRS40 684/672 9L (672 FOR 2/6 DOORS)

8/0 DOORS



DRS0080 496 18L (FOR 2/6 DOORS) DRS0080 612 18L SLS0080 493 6L DRS0080 496 12L (FOR 2/6 DOORS) DRS0080 612 12L DRG0080 487 12L (FOR 2/0 & 2/4 DOORS) **NOT HVHZ**



To meet the minimum Energy Standards for full glass doors, Low-E is required.

Full Glass Low-E Full Glass CLEAR

PART NUMBER	12"		14"		2/0	2/4	2/6	2/8	2/10	3/0
	●	○	●	○						
DRS00 686/687 15L • SLS00 694 5L	●	●	●	●			●	●	●	●
DRS00 686/687 10L							●	●	●	●
DRS49 607 6L 316058								●		●
SLS00 624 10L					●	●				
DRS40 684 / 672 9L							●	●	●	●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



To meet the minimum Energy Standards for full glass doors, Low-E is required.

Full Glass Low-E Full Glass CLEAR

PART NUMBER	12"		14"		2/0	2/4	2/6	2/8	2/10	3/0
	●	○	●	○						
DRS0080 496 18L							○	○		
DRS0080 612 18L • SLS0080 493 6L	●	●	●	●				●	●	●
DRS0080 496 12L							●	●		
DRS0080 612 12L								○	○	○
DRG0080 487 12L					○	○				

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

*Prairie Grilles
Between Glass*

5/8" GRILLE BAR
Low-E Glass



Available with Low-E Glass

6/8 DOORS

8/0 DOORS



DRS40 684PIM



DRG49 607PIM



DRS00 687PIM



DRS00 686PIM
SLS00 694PIM



DRS0080 612PIM



To meet the minimum Energy Standards for full glass doors, Low-E is required.

Full Glass Low-E

Full Glass CLEAR

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS40 684PIM						● ●	● ●	● ●
DRG49 607PIM						●		● ●
DRS00 687PIM					● ●			
DRS00 686PIM • SLS00 694PIM	● ●	● ●				● ●	● ●	● ●
8/0 DOORS DRS0080 612PIM						● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

FRESH AIR

SECURITY

HURRICANE PROTECTION



IMPACT RATED
WINDSERT DOOR SYSTEM



ALL DOOR SYSTEMS ARE SOLD UNFINISHED
DRS = SMOOTH SKIN
DRG = WOODGRAIN TEXTURED SKIN

Ventilating Doors

This product by DLP Industries is an operational window insert/door combo. When the window is open, fresh air is introduced into the home, eliminating the need for a screen door.

- Perfect for beach side residential dwellings
- Excellent for condominium doors, patio doors, cabana bath doors, and side garage doors
- Replaces old jalousie style doors
- Comes with standard screen
- Manufactured in Florida
- Different glass options



Configurations 6/8 Doors

X XO OX OXO XX XXXX


- 1/2 LIGHT
- 1/2 LIGHT 2 PANEL (2/10 & 3/0 ONLY)
- 3/4 LIGHT 1 OR 2 PANEL
- FULL LIGHT (2/10 & 3/0 ONLY)

Configurations 8/0 Doors

- X
- 1/2 LIGHT 8/0
- 1/2 LIGHT 2 PANEL 8/0 (3/0 ONLY)
- FULL LIGHT 8/0 (3/0 ONLY)

Optional Impact Security Screen

- Offers insect control, and hurricane protection
- Premium grade High Tensile 304 Stainless Security mesh
- Impact Resistant
- Allows ventilation without compromising security
- Windsert security screen is available for all door sizes



See video of the Windsert Security Screen at the test lab.



Ventilating Doors

6/8 DOORS



DRS00 1/2 LIGHT
DRG40 1/2 LIGHT 2 PANEL
DRG29 3/4 LIGHT 1 PANEL
DRS00 FULL LIGHT

8/0 DOORS



DRS0080 1/2 LIGHT
DRG4180 1/2 LIGHT 2 PANEL
DRS0080 FULL LIGHT (AVAILABLE WITH SECURITY SCREEN ONLY)

8/0 DOORS NOT SHOWN IN CHART
SPECIAL ORDER ONLY



WINDSERT GLASS OPTIONS – IMPACT

Representation only. Not actual colors. For actual samples, please contact your sales representative.

Door Size	Glass Number	Unit Type	6/8 Height Glass Size	Low-E	Milky White	Clear	Obscure	Gray	Turtle
2/0 & 2/4	WI1436	HALF-LIGHT	14 X 36	● ○	● ●	● ●	● ●	● ○	● ○
2/6	WI1836	HALF-LIGHT	18 X 36	● ●	● ●	● ●	● ●	● ○	● ○
2/8	WI2036	HALF-LIGHT	20 X 36	● ●	● ●	● ●	● ●	● ○	● ○
2/10 & 3/0	WI2236	HALF-LIGHT	22 X 36	● ●	● ●	● ●	● ●	● ●	● ○

Door Size	Glass Number	Unit Type	6/8 Height Glass Size	Low-E	Milky White	Clear	Obscure	Gray	Turtle
2/0 & 2/4	WI1464	FULL-LIGHT	14 X 64	● ○	● ●	● ●	● ●	● ○	● ○
2/6	WI1864	FULL-LIGHT	18 X 64	● ●	● ○	● ○	● ○	● ○	● ○
2/8	WI2064	FULL-LIGHT	20 X 64	● ●	● ●	● ●	● ○	● ○	● ○
2/10 & 3/0	WI2264	FULL-LIGHT	22 X 64	● ●	● ●	● ●	● ●	● ○	● ○

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types. Any non-stock glass options have a lead time.



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

All wood grained doors are sold unfinished and natural color is tan. Can be painted or stained.

All smooth doors are sold unfinished and natural color is white. Can be painted or faux finished.

THE MAKINGS OF A BETTER DOOR:

HYDROSHIELD™ TECHNOLOGY
Strength and protection against moisture infiltration

LAMINATED VENEERED LUMBER (LVL)
Strength, durability and hardware reinforcement

10 GAUGE STEEL BEAM (NON-HVHZ ONLY)
Prevents thermal bowing

HIGH DENSITY POLYURETHANE CORE
Energy efficiency and noise reduction

FIBERGLASS REINFORCED SKIN
High impact and dent resistant



IMPACT RATED
SOLID PANEL FIBERGLASS



ALL DOOR SYSTEMS ARE SOLD UNFINISHED.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL

plastpro®

*Fiberglass
Modern and
Shaker Collection*



All door systems are sold unfinished.
Natural color of woodgrain doors are tan/beige.

LIMITED LIFETIME WARRANTY

EDPI LADDER HANDLE	EDPI60SS 316 60" 316 stainless steel round handle (IN STOCK)
	EDPI48SS 316 48" 316 stainless steel round handle (IN STOCK)
	EDRL exterior door roller latch US15 Satin Nickel color (IN STOCK)

ROLLER LATCH




EDPI LADDER HANDLE



plastpro®

*Fiberglass
Rustic Collection*




All door systems are sold unfinished.
Natural color of woodgrain doors are tan/beige.




Clavos Options

LIMITED LIFETIME WARRANTY

6/8 DOORS



8/0 DOORS



6/8 DOORS



8/0 DOORS



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS1K • 1 PANEL									●
	DRS2K • 2 PANEL									●
	DMG51 • MODERN						●			●
	DRS3F • SMOOTH SHAKER STYLE							●		●
	DRS50 • 5-PANEL									●
8/0 DOORS	DRF3F • 3-PANEL FIR GRAIN									●
	DMG5180 • MODERN									●
	DRS3F80 • 3 PANEL									●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



		PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRA1P • 1 PANEL PLANK									●
	DRA2A • PLANK 2-PANEL ARCH									●●
	DRA2D • 2-PANEL ARCH									●
	DRA2B • 2 PANEL SQUARE									●
8/0 DOORS	DRA2A80 • PLANK 2-PANEL ARCH									●●
	DRA2P80 • PLANK 2-PANEL SQUARE									●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.


plastpro®
Fiberglass 6/8
Woodgrain
Textured

Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood.

RESIDENTIAL LIMITED LIFETIME WARRANTY



plastpro®
Fiberglass 6/8
Woodgrain
Textured



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

6/8 DOORS



DRG60/DRG61/
DRG63
6-PANEL



DRG49
3/4 4-PANEL



DRG00 • FLUSH
shown unfinished



DRG80 • 8-PANEL
CENTER ARCH



DRG6C
CRAFTSMAN
NOT HVHZ



DRG29 2-PANEL
3/4 HERITAGE
NOT HVHZ



DRG3P
3/4 PREMIUM
NOT HVHZ

6/8 DOORS



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG60 • 6-PANEL					● ●			● ●
DRG61 • "NARROW UTILITY" 6-PANEL						●		
DRG63 • "NARROW UTILITY" 6-PANEL						●		
DRG49 • 3/4 4-PANEL						●		● ●
DRG00 • FLUSH	● ●	● ●	● ●	●	● ●	● ●	● ●	● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG80 • 8-PANEL CENTER ARCH								●
DRG6C • CRAFTSMAN								●
DRG29 2-PANEL 3/4 HERITAGE								●
DRG3P • 3/4 PREMIUM								●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.

IMPACT SOLID PANEL



MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL

plastpro®
Fiberglass 8 ft.
Woodgrain
Textured

Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood.



plastpro®
Fiberglass 8 ft.
Woodgrain
Textured



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

RESIDENTIAL LIMITED LIFETIME WARRANTY



8/0 DOORS



DRG2980
2-PANEL

DRG6080
6-PANEL

DRG0080 • FLUSH
shown unfinished

DRG4180
TRUE 4-PANEL
NOT HVHZ


8/0 DOORS



DRG8080
8-PANEL
CENTER ARCH
NOT HVHZ

DRG3080
3-PANEL
NOT HVHZ

DOOR CROSS SECTION



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG2980 • 2-PANEL						●		●
DRG6080 • 6-PANEL						●		● ●
DRG0080 • FLUSH			●		●	● ●	●	● ●
DRG4180 • TRUE 4-PANEL								●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG8080 • 8-PANEL CENTER ARCH								●
DRG3080 • 3-PANEL						●		●

● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL

plastpro®
*Fiberglass 6/8
smooth skin*

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished. Natural color of smooth doors are white.


RESIDENTIAL 25 YEAR LIMITED WARRANTY



plastpro®
*Fiberglass 6/8
smooth skin*



DOOR CROSS SECTION



6/8 DOORS



6/8 DOORS



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS2D • 2-PANEL ARCH TOP						●		● ●
DRS2B • 2-PANEL SQUARE TOP						● ●		● ●
DRS41 • TRUE 4-PANEL						●		● ●
DRS60 • 6-PANEL WIDE PANEL DESIGN					● ●			● ●
DRS61 • "NARROW UTILITY" 6-PANEL						●	● ●	●
DRS63 • "NARROW UTILITY" 6-PANEL						●		
DRS00 • FLUSH			● ●	● ●	● ●	● ●	● ●	● ●
DRS61 7/0 • "NARROW UTILITY" 6-PANEL								●
DRS00 7/0 • FLUSH						●		●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS80 • 8-PANEL CENTER ARCH								●
DRS3P • 3/4 PREMIUM								●
DRS6C • CRAFTSMAN								●
DRS49 • 3/4 4-PANEL						●		●
DRS2G • 2-PANEL PLANK ARCH						●		● ●
DRS29 • 2-PANEL SQUARE						●		● ●
DRS3E • 3-PANEL 3/4 ELITE								●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



plastpro®
Fiberglass 8ft.
Smooth Skin

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished.
Natural color of smooth doors are white.


RESIDENTIAL 25 YEAR LIMITED WARRANTY



plastpro®
Fiberglass 8ft.
Smooth Skin



DOOR CROSS SECTION



8/0 DOORS



8/0 DOORS



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS2B80 • 2-PANEL SQUARE TOP						●		● ●
DRS6080 • 6-PANEL					● ●	● ●		● ●
DRS2D80 • 2-PANEL ARCHED TOP						●		●
DRS2G80 • 2-PANEL ARCHED TOP PLANK								● ●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS3080 • 3-PANEL						●		●
DRS2980 • 2-PANEL						●		● ●
DRS0080 • FLUSH			●	●	● ●	● ●	● ●	● ●
DRS4180 • TRUE 4-PANEL						●		●

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER
All door sizes shown can be built as double door systems.
Some models available Fire Rated, minimum quantities may apply.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS



Novatech

Steel Doors

Steel Doors by Novatech feature advanced manufacturing techniques, modern designs, and pre-finished options.

Features;

- 24 gauge steel (G40) hot dip galvanized to prevent rust
- Composite bottom rail
- VOC free polyurethane high-density foam core
- 20 minute fire-rating available
- Available in a large variety of colors for projects of 300 doors or more. Available in black or white (and black and white) for jobs of 25 or more doors.

6/8 DOORS



FLUSH LONDON 6 PANEL VOG SOHO SYDNEY



ROLLER LATCH

EDPI LADDER HANDLE

	PART NUMBER	2/8	2/10	3/0
6/8 DOORS	FLUSH	● ●		● ●
	LONDON 2-PANEL	● ●		● ●
	6 PANEL	● ●		● ●
	VOG			● ●
	SOHO	● ●		● ●
	SYDNEY			● ●
PULL HANDLES	EDPI60SS 316 60" 316 stainless steel round handle (IN STOCK)			
	EDPI48SS 316 48" 316 stainless steel round handle (IN STOCK)			
	EDRL exterior door roller latch US15 Satin Nickel color (IN STOCK)			

● HVHZ STOCK ○ HVHZ SPECIAL ORDER ● WBD STOCK ○ WBD SPECIAL ORDER

All door sizes shown can be built as double door systems.

● All models available Fire Rated, minimum quantities may apply.

- DOOR FRAMES
- BRICKMOLD
- TRIM
- T-ASTRAGALS
- THRESHOLDS
- WEATHERSTRIPPING
- HINGES
- LOCKSETS
- HIGH SECURITY LOCKSETS
- MULLIONS

COMPONENTS & HARDWARE



FOR ALL DOOR HARDWARE AND COMPONENT OPTIONS, REFER TO OUR DOORSHOP COMPONENTS AND HARDWARE CATALOGS AT BHIFLORIDA.COM

COMPONENTS & HARDWARE DOORFRAMES & MOLDING

plastpro® PF FRAMES™

Doorframes & Moldings

This rigid Poly-Fiber formulation door jamb offers the very best in product performance, and is easy to use. Our innovative PF Frames can be machined like wood, look and feel like wood, and can be painted or stained. The noticeable difference comes down to the strength and durability.


- Closed Cellular Structure
- Twice The Screw-Holding Power of Wood
- Rigid Poly-Fiber Formulation



DOOR FRAME 6/8, 7/0 & 8/0	JAMB (DOOR FRAME) DEPTH SIZE			
	4-9/16"	5-1/4"	6-9/16"	7-1/4"
SMOOTH FINISH	•	•	•	•
WOOD GRAIN FINISH	•	•	•	•



The closed cellular structure of our composite frames ensures that the molding will not absorb moisture, and that the frame will resist splitting, rotting and insect damage.



SECURITY STRIKE PLATES
(REQUIRED FOR USE WITH SOME HVHZ SINGLE DOOR UNITS)

SKU	DESCRIPTION	FINISH	CASE PK
YR02081BLACK	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BLACK	12
YR02081US26	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BRIGHT CHROME	12

SEE PAGE 170.



COMPONENTS & HARDWARE BRICKMOLD

plastpro®

Brickmold & Trim

2 1/4 MULLION STRIP SMOOTH



176
1 1/2 X 5/8
SMOOTH
PRIMED

11/32 X 9/16
STOP MOLDING

180
3/16 X 2
SMOOTH
PRIMED

- White smooth molding can be painted or faux finished
- Tan textured molding can be painted or stained

BRICKMOLD AND MOLDING SMOOTH

SKU	SIZE	DESCRIPTION	FINISH
PFWBM17685	85"x1-1/2"x5/8"	Smooth PF Brickmold	White
PFWBM176102	102"x1-1/2"x5/8"	Smooth PF Brickmold	White
PFWBM18085	85" x 3/16"x2"	Smooth PF Brickmold	White
PFWBM180102	102"x1-3/16"x2"	Smooth PF Brickmold	White
PFMTS24M10000	100"x2-1/2"	Smooth PF Mullion Strip	White
PFWSSM100	100"x11/32"x9/16"	Smooth PF Sidelite Stop Molding	White

2 1/4 MULLION STRIP SMOOTH



180
3/16 X 2
EMBOSSSED
WOODGRAIN

176
1 1/2 X 5/8
EMBOSSSED
WOODGRAIN

11/32 X 9/16
STOP MOLDING

BRICKMOLD AND MOLDING TEXTURED

SKU	SIZE	DESCRIPTION	FINISH
PFBM176102	102"x1-1/2"x5/8"	Textured PF Brickmold	Tan
PFBM180102	102"x1-3/16"x2"	Textured PF Brickmold	Tan
PFMTG24M10000	100"x2-1/2"	Textured PF Mullion Strip	Tan
PFSSM100	100"x11/32"x9/16"	Textured PF Sidelite Stop Molding	Tan


STRUCTURAL MULLION

SKU	SIZE	DESCRIPTION
MULL1414RECP12W	1" x 4" x 1/4" x 12'	Aluminum White
MULLCLIP1	3 3/8" X 8 1/4"	Aluminum (Works with MULL1414) Each Mullion requires 2 clips
MULL2614RECP12W	2" x 6" x 1/4" x 12'	Aluminum White
MULLCLIP2	3 3/8" X 5 1/2"	Aluminum (Works with MULL2614) Each Mullion requires 2 clips



COMPONENTS & HARDWARE ASTRAGALS

COMPONENTS & HARDWARE THRESHOLDS AND WEATHERSTRIP




Aluminum Astragals

Florida building code testing results show our Aluminum exterior door T-astragals to be among the top performers in structural testing, and weather resistance.

Available in White, Bronze or Stainable in 6/8, 7/0 and 8/0 sizes




Adjustability



4-way adjustable (horizontal and vertical) strike latch plates

Security



Flip lever locks


Precision



Slide bolt with machined center punch allows for precise bolt location and ease of installation.



Stainable



Add an Astragal Security Strip to any outswing double door combination for added security, a clean finished appearance, and eliminate the reveal between the doors.




Aluminum Thresholds

The first step to protecting your home's interior from insects and inclement weather is including a DLP threshold.

Available for inswing, outswing and handicap accessibility doors. Available as Bronze or Mill Finish.

Sizes: 4 9/16, (extenders for 5 1/4, 6 9/16, 7 1/4)



INSWING OR OUTSWING
HANDICAP




INSWING



OUTSWING



OUTSWING HVHZ



Weatherstrip


When it comes to keeping the good weather in and the bad weather out, Pro-Lon weatherstripping is the next step towards creating the ultimate door seal. This quality door seal is manufactured in North America, and both its short reach and long reach profile are designed to function with perfection.



Optional Corner Seal



Optional Corner Seal



Outswing Door Top Seal (optional)



Wrap Around Door Sweep



Screw-On Door Sweep

COMPONENTS & HARDWARE HINGES

Hinges **BHI**Hinges

Specially designed for high-performance and tested for long lasting endurance. BHI offers the best-in-class hinges in stainless steel, and most popular U.S. colors.



	DULL CHROME US26D	ZINC DICHROMATE US2D	SATIN NICKEL SMOOTH US15S	ANTIQUE BRASS US5	STAINLESS STEEL US32D	ANTIQUE NICKEL US15A	PRIMED WHITE USPP	SATIN NICKEL BRUSHED US15	BRIGHT BRASS US3	SATIN BRONZE US10C
Color chart for representation only.										
4"x 4" BALL BEARING 5/8" RADIUS x RADIUS STUD					•					•
4"x 4" BALL BEARING 5/8" RADIUS x SQUARE STUD		•			•					
4"x 4" SPRING 5/8" RADIUS x SQUARE		•	•							•
4"x 4" SPRING 5/8" RADIUS x RADIUS		•	•				•			•
4"x 4" SAFETY 5/8" RADIUS x RADIUS STUD	•	•	•	• (NRP)	•	•	•	•	•	•
4"x 4" SAFETY 5/8" RADIUS x SQUARE STUD	•	•			•		•	•		•

• IN STOCK NRP = Non Removable Pin Stud = Security Hinge with Removable Pin

COMPONENTS & HARDWARE LOCKSETS



Touchscreen Deadbolt

LOCKSETS

TOUCHSCREEN DEADBOLT YRD226



OUTSIDE VIEW



INSIDE VIEW

	OIL-RUBBED BRONZE US10BP	SATIN NICKEL US15	BRASS US3
YRD226 TOUCHSCREEN DEAD BOLT	•	•	○

• IN STOCK • SPECIAL ORDER
TOUCHSCREEN DEADBOLTS NEED TO BE ORDERED WITH KNOB OR LEVER SET OF CHOICE

New Traditions

Standard-duty residential locksets with enhanced quality, durability, and style features. (ANSI Grade 3)



700 CIRRUS



771 WOODLAND



622 MCKINLEY



623 RAINIER



771 SAVANNAH



820 DEADBOLT

	BRASS US3	GUN METAL USGM	SATIN NICKEL US15	OIL RUBBED BRONZE US10BP	DULL CHROME US26D	SUEDE BLACK USSB	ANTIQUE NICKEL US15A	ANTIQUE BRASS US5
Color chart for representation only.								
622 MCKINLEY	•	○	•	•	○	○	○	•
623 RAINIER		•	•	•	○	○	○	
771 SAVANNAH	•	○	•	•	○		○	
700 CIRRUS	•	○	•	•	•			
771 WOODLAND		○	•	•	○	○	○	○
820 DEAD BOLT	•	○	•	•	•	○	•	•

• IN STOCK • SPECIAL ORDER; AVAILABLE BY QUICK-SHIP 10 DAYS OR LESS

COMPONENTS & HARDWARE LOCKSETS

COMPONENTS & HARDWARE MULTI-POINT SECURITY LOCKSETS

Yale Heritage



Prestige, strength, and longevity.

Yale offers residential and light-commercial locksets in a wide range of exciting designs at surprisingly affordable prices. (ANSI Grade 2)

- Limited Lifetime Warranty
- Push-button Locking, meets ADA guidelines
- Pre-installed Screws
- Concealed Screws
- Brass Cylinder Housing Standard Superior for Florida Weather and Salt Air
- Six Pin Cylinder Increases Security
- Non-handed Levers
- Whole House Keying



71 NORWOOD



71 CITADEL/AUGUSTA
UL Available



70 DARTMOUTH
10BP



70 CAMBRIDGE



71 VALDOSTA



71 MCCLURE



83 SELECT DEADBOLT
UL Available
(Comes with security strike)

926 HOMESTEAD

927 JAMESTOWN

	BRASS US3	SATIN NICKLE US15	OIL RUBBED BRONZE US10BP	SUEDE BLACK USSB	DULL CHROME US26D	ANTIQUENICKLE US15A	ANTIQUENICKLE BRASS US5	BRIGHT CHROME US26
Color chart for representation only.								
926 HOMESTEAD	•	•	•	○		○	○	
927 JAMESTOWN	•	•	•			○		○
71 NORWOOD	•	•	•	○	○	○	•	○
70 DARTMOUTH	○	•	•					
70 CAMBRIDGE	○	•	•	○	○	○	○	○
71 CITADEL/AUGUSTA	○	•	○		•			
71 MCCLURE	•	•	•					
71 VALDOSTA		•		○	○			○
83 SELECT DEAD BOLT WITH SECURITY STRIKE	•	•	•		•	○		○

• IN STOCK ○ SPECIAL ORDER; AVAILABLE BY QUICK-SHIP 10 DAYS OR LESS

TRILENNIUM™ Multi-Point Security Locksets



ECLIPSE GRIP SET
SHOWN IN VICTORIAN BRONZE



ECLIPSE
SHOWN IN VICTORIAN BRONZE



PINNACLE
SHOWN IN VICTORIAN BRONZE



HORIZON
SHOWN IN SATIN NICKEL



RECTANGULAR
SHOWN IN POWDER COAT BLACK



CURVED
SHOWN IN POWDER COAT BLACK

- Stainless steel face-plates and strikes
- Strike Rollers and latches draw the door panel into perfect alignment with the jamb for a tight seal
- A single downward turn of the interior handle releases all three deadbolts - making this system panic proof
- Keying available

	SATIN NICKEL	VICTORIAN BRONZE	BRIGHT BRASS	POWDER-COAT BLACK
Color chart for representation only.				
HORIZON	•	○	○	
ECLIPSE	•	•	•	○
PINNACLE	•	•	○	
RECTANGULAR	○	○		•
CURVED	○	○		•
ECLIPSE GRIP SET	○	•	○	○

• IN STOCK ○ SPECIAL ORDER

SPECIFICATIONS TRANSOMS, WINDOWS AND DIRECT SET SIDELIGHTS

SPECIFICATIONS TRANSOMS, WINDOWS AND DIRECT SET SIDELIGHTS

Impact rated transoms, windows and direct set sidelights are built and shipped as separate units from matching single and double door systems.

(A direct set sidelight is a system with glass glazed to frame with no sash).





Transoms, windows and direct set sidelights are built using composite smooth or textured frames.

PRODUCT APPROVALS

For WBD (Wind Borne Debris) FL# 27399.2

For HVHZ (High Velocity Hurricane Zone) FL# 27399.3

CONFIGURATIONS



SIZING

Each unit type available 8" up to the maximum size in charts A and B.

Calculating sizing:

Most impact products have approvals that require use of structural members between door units, sidelights, transoms and windows in their installation details.

To calculate the width needed for a transom window unit 'outside frame to outside frame' dimensions, add the door unit width and the side light unit(s) (if any) along with the BHI aluminum structural Mullion width of 2" per each Mullion to go between each separate unit.

Using structural 2x4 BHI aluminum mullion




Example 1: Single door unit with 2 sidelights configuration (OXO) utilizing a 2/10 x 6/8 door with 2 sidelights 14". Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each, and add 2" each for the 2 BHI aluminum structural Mullions needed for between the two sidelights = 70.5"

Using structural 1x4 BHI aluminum mullion

Example 2: Single door unit with 2 sidelights configuration (OXO) utilizing a 2/10 x 6/8 door with 2 sidelights 14". Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each, and add 1" each for the 2 BHI aluminum structural Mullions needed for between the two sidelights = 68.5"

Structural member 2x4 wood

Example 3: A single door unit with 2 sidelights configuration (OXO) utilizing a 2/10 x 6/8 door with 2 sidelights 14". Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each and add 1.5" each for the 2 2x4 Mullions needed for between the two sidelights = 69.5"



Available in 1x4, 2x4 & 2x6 sizes for 6/8 & 8/0 doors. Can be used in between transom windows or sidelights where structural beams are required by code.

SPECIFICATIONS CUSTOM GLASS SIZING



IMPACT CUSTOM DOOR GLASS SIZES

	1/4 LIGHT	HALF LIGHT	3/4 LIGHT	FULL LIGHT	SIDELIGHT	DIRECT SET GLASS
GLASS SIZE 6/8	22x10	20x36	22x48	14 x 64	7x64	SEE PAGE 96
	21x16	22x36		20 x 64		
	25x15 1/4			22 x 64		
GLASS SIZE 8/0	25x15 1/4	22x48	22x64	14x80	8x80	SEE PAGE 96
				20x80		
				22x80		

CUSTOM SIZE FRAMED IMPACT WINDOWS, TRANSOMS AND SIDELIGHTS

WINDOWS 8" up to 48" wide, and 8" to 48" height	TRANSOMS Maximum size 97.75" wide x 37.5" height	DIRECT SET SIDELIGHT GLASS 8" up to 37.5" wide, and up to 97.75" height
---	--	---

SPECIFICATIONS DOOR UNIT SIZING

PRE-HUNG DIMENSIONS

DOOR & SIDELIGHT WIDTHS	12"	14"	2/0	2/4	2/6	2/8	2/10	*2/10	3/0
Single Unit Width	13-1/2"	15-1/2"	25-1/2"	29-1/2"	31-1/2"	33-1/2"	35-1/2"	35-1/2"	37-1/2"
DOOR & SIDELIGHT WIDTHS			4/0	4/8	5/0	5/4	5/8	5/8	6/0
Double Unit Width	—	—	50-1/8"	58-1/8"	62-1/8"	66-1/8"	70-1/8"	70-1/8"	74-1/8"
Unit Height - 6/8 Inswing	82"	82"	82"	82"	82"	82"	82"	80-5/8"	82"
Unit Height - 6/8 Outswing	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	79-3/8"	80-5/8"
Unit Height - 8/0 Inswing	98"	98"	98"	98"	98"	98"	98"		98"
Unit Height - 8/0 Outswing	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"		96-5/8"

All Pre-hung dimensions are based on outside to outside frame.
 * 6/6 2/10 units – Undersized for replacing sliding glass doors.
 Custom heights available.

Caution: When doors with sidelights are used together (except for doors using hinged sidelights) in many cases, a 2x4 or structural mullion are required to be installed between the door and sidelight frames to meet the requirements of test approvals. This will effect the overall sizing of the opening for pre-hung units.

STRUCTURAL MULLION

Available in 1x4, 2x4 & 2x6 sizes for 6/8 & 8/0 doors. Can be used between transom windows or sidelights where structural beams are required by code. FL approval #17472.2



PRE-HUNG DIMENSIONS FOR SINGLE DOOR & HINGED SIDELIGHTS (COMBO)

UNITS IN POLY-FIBER COMPOSITE DOOR FRAMES – DOOR & SIDELIGHT COMBO				
DOOR & SIDELIGHT WIDTHS		3/0 SINGLE DOOR W/ 1-12" SIDELIGHTS	3/0 SINGLE DOOR W/ 1-14" SIDELIGHTS	3/0 SINGLE DOOR W/ 1-2/0 SIDELIGHTS
UNIT WIDTH		50-1/4"	52-1/4"	62"
Unit Height - 6/8 Inswing		82"	82"	82"
Unit Height - 6/8 Outswing		80-5/8"	80-5/8"	80-5/8"
Unit Height - 8/0 Inswing		98"	98"	98"
Unit Height - 8/0 Outswing		96-5/8"	96-5/8"	96-5/8"

All Pre-hung dimensions are based on (outside to outside frame) using Poly-Fiber Composite door frames.

COMBO; pre-hung door with a hinged sidelight that allows for a larger opening.



PRODUCT APPROVALS



PRODUCT APPROVALS

FIBERGLASS SOLID DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

GLAZED DOORS WITH OR WITHOUT SIDELIGHTS/TRANSOMS (WITH COMPOSITE FRAMES)

IMPACT SOLID DOORS WITH OR WITHOUT IMPACT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.5	X	3/0 x 6/8	Yes	Inswing / Outswing	+65/-70 (IS) +65/-65 (OS)
17184.5	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.5	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.6	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.6	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17347.15	X	3/0 x 8/0	Yes	Inswing / Outswing	+60/-65 (IS) +60/-60 (OS)
17347.15	OX XO	6/0 x 8/0	Yes	Inswing / Outswing	+40/-45 (IS) +40/-40 (OS)
17347.15	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+40/-45 (IS) +40/-40 (OS)
17347.16	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)
17347.16	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)

IMPACT SOLID DOORS WITH OR WITHOUT NON-IMPACT SIDELIGHTS						
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED DOOR	IMPACT RATED SIDELIGHT	SWING	DP RATINGS
15213.4	OX XO	4/2 x 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.5	OXXO	5/4 x 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.8	OXXO	8/4 x 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.22	XO OX	4/2 x 8/0	Yes	No	Inswing / Outswing	+47/-47
15213.23	OXXO	5/4 x 8/0	Yes	No	Inswing / Outswing	+42/-48 (IS) +40/-40 (OS)
15213.26	OXXO	8/4 x 8/0	Yes	No	Inswing / Outswing	+42/-48 (IS) +40/-40 (OS)

FL#15213 does not require a 2x4 between door unit and side light unit.

IMPACT GLAZED DOORS WITH OR WITHOUT IMPACT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.9	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.9	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.9	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.10	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.10	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.1	X	3/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.1	OX XO	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.1	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.2	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.2	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17347.7	X OX XO OXO	9/0 x 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)

COMPONENT APPROVAL IMPACT WINDSERT						
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED	DP RATED W/ SECURITY SCREEN
14803.7	X	3/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55
14803.8	XO, OX, OXO	9/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55
14803.9	XX, OXXO	12/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55

For 8/0 WINDSERT use FL# 15210.15

IMPACT SOLID DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.17	X OX XO OXO	9/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.18	XX OXXO	12/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.25	X	3/0 x 8/0	Yes	Inswing / Outswing	+55/-60 (IS) +55/-55 (OS)
17184.25	OX XO OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.26	XX OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)

FIBERGLASS GLAZED DOORS WITH OR WITHOUT SIDELIGHTS/TRANSOMS (WITH COMPOSITE FRAMES)

IMPACT AND NON-IMPACT DIRECT GLAZED NOVA 90 WITH OR WITHOUT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
28093.3	X XO OX OXXO	6/0 X 6/8	YES	INSWING	+40-50
28093.4	X XO OX OXXO	6/0 X 6/8	NO	INSWING	+40-50
28093.5	X XO OX OXXO	6/0 X 6/8	YES	OUTSWING	+50-50
28093.6	X XO OX OXXO	6/0 X 8/0	NO	INSWING	+45-50
28093.7	X XO OX OXXO	6/0 X 8/0	YES	OUTSWING	+50-45
28093.9	X XO OX OXXO	6/0 X 8/0	NO	OUTSWING	+50-45

IMPACT GLAZED DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.15	X OX XO OXO	9/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.16	XX OXXO	12/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.23	X OX XO OXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.24	XX OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)

PRODUCT APPROVALS

For WBD (Wind Borne Debris) FL# 27399.2

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

PRODUCT APPROVALS

PRODUCT APPROVALS

FIBERGLASS SOLID DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)


GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

IMPACT SOLID DOORS WITH OR WITHOUT IMPACT SIDELIGHTS				
FL #	CONFIG.	UNIT SIZE (UP TO)	SWING	DP RATED
15210.1	X	3/0 x 6/8	Inswing/Outswing	+75/-75
15210.2	XO OX	6/0 x 6/8	Inswing/Outswing	+75/-75
15210.2	OXO	9/0 x 6/8	Inswing/Outswing	+75/-75
15210.3	XX	6/0 x 6/8	Inswing/Outswing	+50/-60 IS, +60/-60 OS
15210.3	OXXO	12/0 x 6/8	Inswing/Outswing	+50 / -50
15210.10	X	3/0 x 8/0	Outswing	+65/-65(OS)
15210.13	X	3/0 x 8/0	Outswing	+90/-90 WITH SURFACE BOLTS
15210.11	XO OX	6/0 x 8/0	Outswing only	+60 / -60
15210.11	OXO	9/0 x 8/0	Outswing only	+60 / -60
15210.12	XX	6/0 x 8/0	Outswing	+65/-65
15210.14	XX	6/0 x 8/0	Outswing	+90/-90 WITH SURFACE BOLTS
15210.12	OXXO	12/0 x 8/0	Outswing only	+50 / -50

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK)

IMPACT SOLID DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS					
FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
15210.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.2	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.2	OXO	9/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.3	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-60 (IS) +60/-60 (OS)
15210.3	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50 / -50

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK). FOR 8/0 DOORS REFER TO COMPONENT APPROVALS OR REQUEST ASSISTANCE.



SECURITY STRIKE PLATES (FOR USE WITH HVHZ SINGLE DOOR UNITS)

SKU	DESCRIPTION	FINISH	CASE PK
YR02081BLACK	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BLACK	12
YR02081US26	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BRIGHT CHROME	12

IMPACT SOLID DOORS WITH OR WITHOUT NON-IMPACT SIDELIGHTS

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED DOOR	IMPACT RATED SIDELIGHT	SWING	DP RATED
15180.9	XO OX	6/0 x 6/8	Yes	No	Outswing only	+50 / -50
15180.9	OXO	9/0 x 6/8	Yes	No	Outswing only	+50 / -50
15180.10	OXXO	12/0 x 6/8	Yes	No	Outswing only	+50 / -50
15180.7	X	3/0 x 8/0	Yes		Outswing only	+50/-50
15180.7	XO OX	6/0 x 8/0	Yes	No	Outswing only	+50 / -50
15180.7	OXO	9/0 x 8/0	Yes	No	Outswing only	+50 / -50
15180.8	XX	6/0 x 8/0	Yes		Outswing only	+50/-50
15180.12	OXXO	12/0 x 8/0	Yes	No	Outswing only	+50 / -50

STEEL DOORS

IMPACT STEEL SOLID DOORS

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
20873.11	X	3/0 x 6/8	Yes	Outswing	+70/-70
20873.12	XX	6/0 x 6/8	Yes	Outswing	+55/-55

FIBERGLASS GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

IMPACT DIRECT GLAZED NOVA 90 WITH OR WITHOUT IMPACT SIDELIGHTS

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
28095.1	X XO OX OXO OXXO	6/0 X 6/8	YES	OUTSWING	+50-60
28095.2	X XO OX OXO OXXO	6/0 X 8/0	YES	OUTSWING	+50-60

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

COMPONENT APPROVAL TRANSOMS / DIRECT SET SIDELIGHTS

FL #	IMPACT RATED
27399.3	Yes



INSTALLATION DETAILS REQUIRE DEAD BOLT SECURITY PLATE

REQUIRES 12" DEAD BOLT ON CENTER.

SUBSTITUTE WITH 5 1/2" DEAD-BOLT ON CENTER.

IMPACT GLAZED DOORS WITH OR WITHOUT IMPACT SIDELIGHTS

FL #	CONFIG.	UNIT SIZE (UP TO)	SWING	DP RATED
15210.4	X	3/0 x 6/8	Inswing / Outswing	+75/-75
15210.5	XO OX	6/0 x 6/8	Inswing / Outswing	+75/-75
15210.5	OXO	9/0 x 6/8	Inswing / Outswing	+75/-75
15210.6	XX	6/0 x 6/8	Inswing / Outswing	+50/-60 (IS) +75/-75 (OS)
15210.6	OXXO	12/0 x 6/8	Inswing / Outswing	+50/-50
15210.7	X	3/0 x 8/0	Outswing	+65/-65
15210.8	XO OX	6/0 x 8/0	Outswing	+65/-65
15210.8	OXO	9/0 x 8/0	Outswing	+65/-65
15210.9	XX	6/0 x 8/0	Outswing	+50/-50
15210.9	XX	6/0 x 8/0	Outswing	+65/-65 WITH SURFACE BOLTS
15210.9	OXXO	12/0 x 8/0	Outswing	+50/-50
15210.9	OXXO	12/0 x 8/0	Outswing	+65/-65 WITH SURFACE BOLTS

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK)

IMPACT GLAZED DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
15210.4	X	3/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.5	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.5	OXO	9/0 x 6/8	Yes	Inswing / Outswing	+75/-75
15210.6	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-60 (IS) +75/-75 (OS)
15210.6	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50 / -50

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK). FOR 8/0 DOORS REFER TO COMPONENT APPROVALS OR REQUEST ASSISTANCE.

COMPONENT APPROVAL WINDSERT GLAZED HVHZ DOORS

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED	DP RATED W/ SECURITY SCREEN
14803-RI.4	X	3/0 x 6/8	Yes	Outswing	+50 / -50	+50 / -55
14803-RI.5	XO OX OXO	9/0 x 6/8	Yes	Outswing	+50 / -50	+50 / -55
14803-RI.6	XX OXXO	12/0 x 6/8	Yes	Outswing	+50 / -50	+50 / -55
15210.15	X	3/0 x 8/0	Yes	Outswing	+50 / -50	+50 / -50




PRODUCT APPROVALS

For HVHZ (High Velocity Hurricane Zone) FL# 27399.3

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

DECORATIVE GLASS SIZE OPTIONS & PRICE GROUPS – IMPACT

DECORATIVE GLASS SIZE OPTIONS & PRICE GROUPS – IMPACT

		6/8 FULL LIGHTS				6/8 1/4 LIGHTS						6/8 3/4 LIGHTS	6/8 1/2 LIGHTS	6/8 1/4 LIGHTS				8/0 FULL LIGHTS				8/0 1/4 LIGHT
																						
DESIGN	PRICE GROUP	686	687	624	694	876	814					607	684	672	651	612	496	487	493	814		
UPTOWN	B	•													•							
GEMINI	A	•													•							
BRISTOL	B	•													•							
PARK PLACE	B	•													•							
ENTROPY	A	•													•							
CAMDEN	B	•													•							
CROSSWALK	D	•	•	•	•		•			•	•	•		•		•	•	•	•			
WATERSIDE	B	•		•	•					•	•			•		•	•					
CHINCHILLA	D	•			•					•	•			•			•					
BLANCA	D	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•			
LINEN	D	•			•					•	•			•			•					
STREAMED	D	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•			
MICRO-GRANITE	D	•		•	•	•	•			•	•			•			•	•	•			
PARIS	A	•			•	•	•			•									•			
JACINTO	B	•			•					•				•			•					
IMPRESSIONS	B	•	•		•						•			•			•					
MISTIFY	D	•								•				•								
SALIX	D	•								•				•								
RENEWED IMPRESSIONS	B	•	•	•	•						•			•		•	•	•				
MOHAVE	B	•	•		•					•	•			•			•	•				
TOPAZ	D	•			•	•	•												•			
MEMORIA	B	•			•						•			•			•	•				
EXPRESSIONS	A	•			•								•	•			•	•				
CADENCE	A	•			•					•			•	•			•	•				
GRACE	D	•		•	•									•		•	•	•				
HEIRLOOMS	B	•	•		•					•	•			•			•	•				
MAJESTIC	D	•	•	•	•						•		•	•		•	•	•				
PINA	A	•												•								
ETCHED GLASS	A	•	•		•									•	•		•	•				
OVERLAYS	D	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•			







Decorative doorglass is available in four different price groups. The higher price group (A) to the lower price group (D) are offered based on doorglass design and materials.

GLASS SIZE OPTIONS – IMPACT

GLASS SIZE OPTIONS – IMPACT

DOORS AROUND THE HOME

DOORS AROUND THE HOME

	6/8 FULL LIGHTS					6/8 3/4 LIGHTS	6/8 1/4 LIGHTS		6/8 1/2 LIGHTS		6/8 1/4 LIGHTS	8/0 FULL LIGHTS			
															
	22 x 64	20 x 64	14 x 64	7 x 64	8 x 64	22 x 48	21 x 16		22 x 36	20 x 36	22 x 10	22 x 80	20 x 80	14 x 80	8 x 80
DESIGN	686	687	624	694	690	607	876		684	672	651	612	496	487	493
ONE LIGHT – CLEAR	•	•	•	•		•			•	•	•	•	•	•	•
ONE LIGHT – Low-E	•	•	•	•		•	•		•	•	•	•	•	•	•
ONE LIGHT – TURTLE	•	•		•					•			•	•		•
LIGHT-TOUCH ENCLOSED BLINDS	•	•	•	•					•	•		•	•	•	•
LIGHT-TOUCH ENCLOSED BLINDS – Low-E	•	•	•		•				•	•		•	•	•	•
ETCHED	•	•	•	•		•	•		•	•	•	•	•	•	•
GRILLS BETWEEN GLASS	•	•	•	•		•			•	•		•	•	•	•
PRAIRIE GRILLS BETWEEN GLASS	•	•		•		•			•			•			

STAIN KITS

Stain Kits



Contains everything you need to stain one prehung door and two sidelights or one double door unit.

- Add increased protection and durability to the life of your Plastpro Fiberglass Entry Door
- New water-based top coat is environmentally friendly and allows faster drying times
- Special formula offers long lasting vibrant colors
- Easy-to-Use for the Do-It-Yourselfer and Professional Painters
- Designed exclusively for Plastpro Fiberglass door



BLACK CAVIAR



DARK CHOCOLATE TRUFFLE



MOCHA



MINK

For information on how to stain a door, please visit BHIFlorida.com

DOOR STYLIZER

Your Door Stylizer™

SCAN WITH YOUR SMARTPHONE



Create Your Dream Entryway!

This tool allows homeowners to visualize how various ODL® Doorglass options will look in their home entryways. YOUR DOOR STYLIZER™ uses a guided design process that helps homeowners customize their entryway by replacing glass, adding glass or replacing their door. Once the user has created their dream entryway, they can save, email, share via social media or print their project to make doorglass ordering a snap.

What's Your Style?

Classic? Contemporary? Something in Between?

Find the doorglass style that suits you and your home perfectly.

UPLOAD A PHOTO OF YOUR HOME or select a sample from our gallery. Then explore, get inspired, and create the entryway that is made for your home. You can also create an account to save your photos and favorite designs.





authorized dealer



IMPACT CATALOG VOLUME 9

BHIDoors
BY BUILDERS HARDWARE, INC.

©BUILDERS HARDWARE INC.
VOLUME 9_2021/2022

bhiflorida.com

Limited Product Warranty for Entrance Components

Warranty Coverage

Subject to the conditions, exclusions and limitations stated herein. ODL Incorporated (ODL) warrants that its entrance components product (Product) is free from defects in material and workmanship that would render the Product unfit for its normal and recommended use.

This warranty applies only to the first purchaser (Customer) of the Product from ODL. This warranty does not extend to the ultimate consumer, and this warranty is not intended to be conveyed to the ultimate consumer or to be brought to the ultimate consumer's attention in connection with the sale of any goods of which the Product becomes component.

THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIODS:

1. Twenty-year warranty for the insulated glass component of the Product. For the High Performance, FiberPro and FiberMate frame components, ODL must receive this written claim within the products lifetime.
2. One-year warranty for all other components of the Product.
3. If the product uses FiberMate®, FiberPro™, or High Performance® frame materials, there is a lifetime limited warranty on the frame components.
4. If the product is a Light-Touch® Internal Blind, twenty years on operation of the Blind, insulated glass seal and the external control mechanism attached to the glass.
5. If the product is a Doorglass Shade: ten-year warranty on the operation of the shade, the fabric, and the external control mechanisms attached to the glass.
6. If the product is an ODL Severe Weather® Doorglass unit: a twenty-year warranty for the insulated glass seal, and operation of the blind and external controls.
7. If the product is a Pro-Series Ventilating doorlight (ODL Model 799 only) twenty-year warranty for all components of the product.
8. If the product is a Veranda™ external grille, there is a twenty-year glass seal and a five-year finish warranty.
9. If the frame is PVC material (Built and sold by ODL Canada) there is a 5-year limited warranty on the frame components.

Exclusions From Coverage

This warranty does not cover:

1. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
2. Defects or damages arising out of improper handling, cleaning, or maintenance, defective or improper glazing, installation, or finishing (including glazing, installation or finishing not in accordance with ODL's instructions) accident, act of God, intentional human acts, misuse, abuse, or any circumstances beyond the control of ODL.
3. Product installed in or submitted to high heat conditions, high moisture conditions, high vibration, or extreme temperature changes.
4. Product installed in sloped glazing.
5. Product containing plastic components, installed in high heat conditions, such as behind a storm door, or painted a dark color.

6. Product subjected to stress resulting from localized application of heat, movement of building and or building components, or expansion or contraction of framing members.
7. Labor, shipping, or other charges incurred or claimed by the Customer.
8. Accessories manufactured by persons other than ODL.
9. Product manufactured prior to April 1, 1986.

Inspection and Discovery of Defect

It is the Customer's responsibility to inspect the Product immediately upon receipt of shipment. If a defect covered upon such inspection, then the Customer must follow the Warranty Claim Procedures set forth below.

ODL shall have no obligation under this warranty with respect to any defect reasonably discoverable upon immediate inspection after the Product has been installed (or otherwise used). If a defect occurs after receipt of shipment within the warranty period, then the Customer must also follow the Warranty Claim Procedures set forth below.

Warranty Claim Procedures

The Customer must adhere to the following procedure in order to make a claim under this warranty:

1. The Customer must present a written claim to ODL Incorporated, 215 East Roosevelt Avenue, Zeeland, MI, 49464, within 30 days after discovering a defect. For the High Performance Frame component, ODL must receive this written claim within the Products lifetime. For the insulated glass component, Light-Touch Internal Blind Insulated Unit or Mechanism, or the Pro-Series Ventilating doorlight, ODL must receive this claim within the twenty-year warranty period. For all other components of the Product, ODL must receive this claim within the one-year warranty period.
2. The Customer must use reasonable diligence to include in the written claim all of the following:
 - a. Adequate description of the claim defect(s).
 - b. Identification of Product design or pattern.
 - c. Exact Product size.
 - d. Date Product was manufactured (this date is permanently stamped inside the sealed glass on the aluminum tubular spacer).
 - e. Date of the Customer's purchase, the place of purchase, the purchase price and the date of delivery to the Customer.
3. The Customer must, if requested by ODL permit ODL or it's representative to inspect the product.

Remedies

After receiving a valid claim, ODL will, at its option, either (A) repair the Product, or (B) provide a replacement Product (or part, as appropriate) of like kind and design.

Replacement of the insulated glass component or a Light-Touch Internal Blind Insulated Unit or Mechanism component of the Product will result in the following charge to the Customer based on the percentage of ODL's then current wholesale price for a comparable Product:

Period After Purchase (years)	Amount of Charge to Customer
0-5	none
6	20%
7	30%
8	40%
9	50%
10	60%
11-15	70%
15-20	80%

If ODL elects to provide a replacement Product, the limited warranty on the replacement Product will last for the balance of the warranty on the original Product. If the Customer fails to provide satisfactory proof of the date of purchase, the date of manufacture shall be used instead.

ODL's liability under this warranty is limited to either (A) or (B) above, and ODL will in no event be responsible for shipping, labor, removal of original Product, installation of Product, expenses, or other charges, costs or claims incurred by the Customer.

Disclaimer Of Warranty

ODL MAKES NO IMPLIED WARRANTY, INCLUDING A WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR ANY REPLACEMENT, AND ODL MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT). EXCEPT TO THE EXTENT PROVIDED HEREIN.

Limitation Of Remedies

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY OR NEGLIGENCE. IN NO CASE SHALL ODL BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

Unless modified in a later writing signed by both ODL and the Customer, this warranty is the complete and exclusive warranty related to the Product, and it supersedes all earlier agreements and other communications relating to the Product. No employee of ODL or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect one of the other provisions.

This warranty is not transferable. Effective February 28, 1994.



215 East Roosevelt Ave., Zeeland, MI 49464
800.253.3900 www.odl.com