

# WinGuard®

ALUMINUM  
IMPACT



BUILT WITH CLEAR PURPOSE.

# Engineered for effortless protection.



Single Hung SH7700A



Preferred Sliding Glass Door SGD770,  
Preferred French Door FD750, and  
Picture Window PW7720A



Preferred Sliding Glass Door SGD770 and Single Hung SH7700A



## Re-imagined to meet homeowners' unique styles.

### PGT® WINGUARD® ALUMINUM

At PGT® Custom Windows + Doors, we work tirelessly each day to create products that protect and support families beautifully. Relentlessly tested and accredited by the industry's most respected organizations, and proven in the face of Mother Nature, WinGuard® Aluminum products are built with the clear purpose of keeping your loved ones and home safe.

# The #1 brand of impact-resistant windows and doors in the nation.



## BEAUTIFULLY READY FOR ANYTHING.

PGT® WinGuard® Aluminum products are built to withstand some of life's most demanding situations. The heavy-duty window and door frames hold impact-resistant laminated glass — the primary barrier that continuously protects your home throughout major storms, deters break-ins from intruders, and safeguards your belongings from UV rays.

Beyond WinGuard® Aluminum's remarkable protection, America's favorite brand of impact-resistant products also helps you save time, energy, and money by eliminating the need for clunky and unsightly shutters that can take hours to install.



Preferred Sliding Glass Door SGD770 and Single Hung SH7700A



08

### PERFORMANCE

WinGuard® Aluminum offers a winning combination of strength and beauty.



10

### TESTING

We test our windows and doors relentlessly, so you can enjoy the view in safety and comfort.



12

### CUSTOMIZATION


Your home is as unique as you are. Our windows and doors help reflect your personal style.



### 16 / GRID STYLES AND PATTERNS

WinGuard® Aluminum products are available with a variety of grid styles and patterns that complement any design requirements.





20 / PRODUCT STYLES

Single Hung. Horizontal Roller. Casement. Awning. Picture Window. Sliding Glass Door. French Door.

FOLLOW US



@pgtwindowsdoors

*“WinGuard® impact-resistant products have effortlessly protected families for more than 20 years. We’re proud to keep that tradition going.”*

—KEN VANDERBENT  
LEAD DESIGN ENGINEER

The Cover

**PREFERRED  
SLIDING  
GLASS DOOR  
AND SINGLE  
HUNG**

Sliding Glass Door SGD770 and Single Hung SH7700A.  
Photo features Lee Wetherington Homes. lwhomes.com




# Security through life's storms.

## EFFORTLESS HURRICANE PROTECTION™.

When severe weather strikes, time is your most important resource. With WinGuard® Aluminum products, there is no racing to install plywood or heavy shutters. Just lock the windows and doors, and put your mind at ease.

### SAFETY

Our impact-resistant windows and doors help save lives. They resist flying debris in hurricane conditions and deter opportunistic intruders. Even if the glass cracks during impact, it will remain secure in its frame, preventing outside elements like wind and water from infiltrating your home. Additionally, with our products installed, your home insurance premium may be reduced.



## SOUND REDUCTION

Weathering a storm is a stressful experience. And in a home covered in plywood or shutters, that stress can be amplified by the roar of the storm on top of complete darkness, should the power go out. Our windows not only minimize sound through a storm, but everyday noises, too — from honking cars to lawn mowers and more.

*“The wind gusts [during Hurricane Irma] reached 100 mph, trees were bent 45 degrees, and we didn’t hear a thing. It was like we were watching a thunderstorm on TV, and the TV was on mute.”*

—OGDEN DERRECK, CUSTOMER

## STRENGTH

PGT® WinGuard® Aluminum products feature laminated glass comprising two panes bonded together with a strong, clear interlayer for effortless impact resistance in a heavy-duty frame.

In a state-of-the-art testing lab, we spend hundreds of hours making sure each PGT® WinGuard® Aluminum window and door meets or exceeds the International Building Code for:

- Air infiltration
- Deglazing
- Structural integrity
- Water resistance
- Forced-entry resistance
- Small- and large-missile impact protection



Preferred Sliding Glass Door SGD770



Preferred Sliding Glass Door SGD770 and Picture Window PW740

T E S T I N G

# Windows and doors put to the test.

OVER FOUR MILLION UNITS INSTALLED WITH ZERO REPORTED IMPACT FAILURES.

Following the devastation of Hurricane Andrew in 1992, we collaborated with Florida building officials to develop stricter construction standards, resulting in the Miami-Dade Notice of Acceptance — the most stringent building code in the country.

All of our aluminum products have been issued a Miami-Dade Notice of Acceptance (NOA), and our product lines hold the most NOAs in the country.

All PGT® products are continuously validated by the industry's most respected, accredited organizations. WinGuard® Aluminum certifications, ratings, and testing include:

- Miami-Dade Notice of Acceptance
- Florida Product Approval
- ENERGY STAR®
- National Fenestration Rating Council (NFRC)
- STC (Sound Transmission Class)

WinGuard® products can withstand repeated impact from a 9-lb. 2' x 4' beam traveling at 50 feet per second, followed by hurricane-force winds. Even if the glass is damaged, it remains securely in its frame, keeping the elements outside.


See the Glossary of Terms for more details on each of these certifications and testing protocols.

## WE STAND BEHIND OUR GLASS

WinGuard® Aluminum products are backed by some of the best warranties in the industry, including:

- A 10-year warranty on the frame and laminated glass unit
- Limited lifetime warranty on the insulating glass unit

We go through this testing for your peace of mind and ours. Our job is done only when you and your family are safe behind our products.



*“The eye of the storm came right over our house in Naples, and we felt completely safe. Our windows and doors held up perfectly.”*

—CASBARRO JOSEPH, CUSTOMER



Single Hung SH7700A and Preferred Sliding Glass Door SGD770

## C U S T O M I Z A T I O N



# The perfect fit for your home.

## CUSTOM PRODUCTS FOR YOUR EXACTING NEEDS.

Your style — and your home — is as unique as you. That's why we customize each of our products to fit your exact specifications. From product size and frame colors to style elements and glass performance, all WinGuard® products can be designed for a consistent look that reflects your home's personality.

### WINGUARD® ALUMINUM CUSTOMIZABLE OPTIONS INCLUDE:

- Sizes
- Flexible designs
- Frame colors
- Hardware finishes on sliding glass doors
- Glass tints
- Grid styles and patterns
- High-performance Low-E
- Privacy glass
- Sea Turtle Protection Code glass

*See the Glossary of Terms for more details on some of the customizable options.*

CUSTOMIZATION





# Built to fit your style.

## Standard Features

PGT® WinGuard® Aluminum products come standard with clear laminated glass and a white frame, ideal for new construction and remodeling projects. Operable windows also include a convenient mesh screen.

### STANDARD INTERIOR AND EXTERIOR FRAME COLOR

White

## Paint Finish

### POWDER-COATED

In addition to beauty and effortless protection, PGT WinGuard® Aluminum windows are equipped with a powder-coat paint finish that delivers exceptional benefits.

- Resists fading from exposure to natural elements
- Maintains excellent quality with thicker coatings and identical colors from batch to batch
- Withstands scratching and corrosion from heat, light, and moisture exposure
- Protects the environment with a 100% solvent-free finish that does not contain harsh or toxic metals

## Grid Styles



### RAISED / FLAT GRIDS\*

- 1" -wide raised muntin applied to exterior
- 1" -wide flat bar applied to interior




### FLAT GRID


- 9/16" -wide flat grid between the glass

PGT® PRODUCTS COME WITH A VARIETY OF OPTIONS TO COMPLEMENT THE LOOK AND FEEL OF YOUR HOME.

## Grid Patterns



STANDARD



BRITTANY / PRAIRIE

## Premium Options

### GLASS

- Heat-strengthened glass
- Laminated insulating glass
- Privacy glass
- Popular glass tints
- High-performance Low-E
- Argon gas




*Custom frame colors are also available.*

*\*The Premium Sliding Glass Door SGD780 and Preferred French Door FD750 only have the Ogee Raised internal/external grid option available.*

*\*\*Available on select styles only. Please check with an authorized dealer for more details.*

*See the Glossary of Terms for more details on some of these options.*

### FRAME COLORS

-  Bronze
-  Black\*\*
-  Clear Anodize

W I N D O W S

# Protect your home

DURING SOME OF LIFE'S  
MOST DEMANDING  
SITUATIONS.







Single Hung SH7700A

## W I N D O W S



## Single Hung (*SH7700A*)

### FLEXIBLE DESIGN

- Radius Top and ProView/Oriel

### EASY OPENING AND CLOSING

- Heavy-duty balance system

### LOW-PROFILE SWEEP LOCK

- Know immediately if the window is unlocked for an added level of security
- Maximizes the view

### OPTIONAL HARDWARE

- Patented bottom lock with visual lock/unlock design
- Vent latch that allows fresh air to enter the room without opening the window completely
- Window Opening Control Device that delivers a deeper level of safety and security



## Horizontal Roller (*HR7710A*)

### FLEXIBLE DESIGN

- 2- and 3-lite configurations

### EASY OPENING AND CLOSING

- Tandem stainless-steel roller allows for finger-smooth operation

### LOW-PROFILE SWEEP LOCK

- Know immediately if the window is unlocked for an added level of security
- Maximizes the view

### OPTIONAL HARDWARE

- Vent latch that allows fresh air to enter the room without opening the window completely
- Window Opening Control Device that delivers a deeper level of safety and security

## Casement (CA740)

### MODULAR DESIGN

- Single unit hinged for opening either left or right
- Double unit hinged for opening: one left, one right
- Triple unit hinged for opening: one left, one right, fixed center unit
- Matching Awning and Fixed Lite Picture Window

### MULTI-POINT LOCKING SYSTEM

- Provides added strength and security

### OPTIONAL WASHABLE HINGE

- For easy cleaning from inside the home

### OPTIONAL FOLDAWAY HANDLE

- Will not interfere with your window treatments



CASEMENT

## Awning (AW740)

### MODULAR DESIGN

- Hinged along the top
- Individual vent units can be mulled vertically or horizontally for custom configurations
- Matching Casement and Fixed Lite Picture Window

### MULTI-POINT LOCKING SYSTEM

- Provides added strength and security



AWNING




Casement CA740



783

Picture Window PW7720A

## W I N D O W S



PICTURE WINDOW

## Fixed Lite Picture Window / Architectural (PW/AR7720A)

### FIXED (NON-OPERABLE) WINDOWS

- Often used as accent windows

### MAXIMIZES THE VIEW

- Fills the room with a substantial amount of light
- Serves as a standalone or companion window

### POPULAR FIXED LITE ARCHITECTURAL SHAPES



Half Circle



Eyebrow



Trapezoid



Arch

CASEMENT PICTURE  
WINDOW

## Fixed Lite Casement Picture Window (PW740)

### FIXED (NON-OPERABLE) WINDOWS

- Often used as accent windows

### MODULAR DESIGN

- Matching Casement and Awning

### MAXIMIZES THE VIEW


- Provides maximum amount of light
- Serves as a standalone or companion window



Picture Window PW720  
Single Hung SH7700A  
Photo features Lee Wetherington Homes. [lwhomes.com](http://lwhomes.com)

D O O R S

Close the door  
on hurricanes,  
stray golf balls,  
and would-be  
intruders.





Preferred Sliding Glass Door SGD770  
Photo features Lee Wetherington Homes. [lw homes.com](http://lw homes.com)

## D O O R S

## Preferred Sliding Glass Door (SGD770)

### AWARD-WINNING DOOR

- #1 in Quality Patio Doors\*

### EASY OPENING

- Smooth fingertip operation and whisper-quiet

### PANORAMIC VIEWS

- Uninterrupted views and a great source of natural light

### DUAL-POINT LOCKING SYSTEM

- Provides added security by restricting panels from being lifted off the tracks

### OPTIONAL ARCHITECTURAL ENHANCEMENTS

- Raised, curved, or contemporary handles

### OPTIONAL SCREENS

- Standard or heavy-duty



SLIDING GLASS DOOR

### STANDARD HARDWARE OPTIONS

Standard raised handle



White



Black



Oil-rubbed  
Bronze



Satin  
Nickel



Polished  
Brass

### PREMIUM HARDWARE OPTIONS

Contemporary handle



White



Black



Satin  
Nickel

Curved handle



White



Black



Satin  
Nickel



Polished  
Brass

\*2019 Builder Brand Use Report.



**PREMIUM SLIDING  
GLASS DOOR**

## Premium Sliding Glass Door (SGD780)

### AWARD-WINNING DOOR

- #1 in Quality Patio Doors\*

### EASY OPENING

- Smooth fingertip operation and whisper-quiet

### PANORAMIC VIEWS

- Uninterrupted opening and great source of natural light

### FRENCH-DOOR LOOK

- Standard 4" bottom rail
- Optional 9" bottom rail

### DUAL-POINT LOCKING SYSTEM

- Provides added security by restricting panels from being lifted off the tracks

### OPTIONAL ARCHITECTURAL ENHANCEMENTS

- Curved or contemporary handles

### OPTIONAL SCREENS

- Box screen

### STANDARD HARDWARE OPTIONS

Curved handle



White



Black



Satin  
Nickel



Polished  
Brass

### PREMIUM HARDWARE OPTIONS

Contemporary handle



White



Black



Satin  
Nickel

\*2019 Builder Brand Use Report.



Preferred French Door FD750 and Picture Window PW7720A



## D O O R S

## Essential French Door

### (FD101H)

#### EASY OPENING

- Heavy-duty hinge supports the weight of the door

#### MODULAR DESIGN

- Fill large openings with matching sidelites that provide additional light

#### CONCEALED 2-POINT LOCKING SYSTEM

- Provides added strength and security

#### PREPPED FOR INDUSTRY-STANDARD HARDWARE

- Accommodates an array of handle and deadbolt hardware



**ESSENTIAL  
FRENCH DOOR**

## Preferred French Door

### (FD750)

#### EASY OPENING

- Heavy-duty piano hinge supports the weight of the door

#### 3-POINT, STAINLESS-STEEL LOCKING SYSTEM

- Provides added strength and security

#### PREPPED FOR EUROPEAN-STYLE HARDWARE

- Accommodates the architectural design of any home

#### MODULAR DESIGN

- Fill large openings with matching sidelites that provide additional light



**PREFERRED  
FRENCH DOOR**

#### STANDARD HARDWARE OPTIONS (FD750 ONLY)



## GLOSSARY OF TERMS

**ARGON GAS:** A safe, odorless, colorless, non-toxic, non-flammable inert gas that is commonly used in place of air between the glass panes of an insulated Low-E glass unit to reduce temperature transfer.

**CORROSION-RESISTANT:** Refers to how well a substance can withstand damage caused by oxidization or other chemical reactions.

**DESIGN PRESSURE:** Wind load pressure, usually expressed in pounds per square foot (psf). Equal to 2/3 of the Structural Test Load.

**ENERGY STAR®:** An independent U.S. government program that establishes a standard set of guidelines to recognize the energy efficiency of various products. ENERGY STAR® guidelines are used in conjunction with a variety of building materials, including windows and patio doors.

**FLORIDA PRODUCT APPROVAL:** A series of tests performed by a State of Florida approved testing lab to ensure certain building components meet Florida standards.

**FORCED-ENTRY RESISTANCE:** The test methods intended to establish a measure of resistance for window assemblies subjected to attacks, other than by impact.

**IMPACT-RESISTANT:** Shatter-resistant glass. When the glass breaks, the shattered pieces will adhere to the intermediate shatterproof membrane.

**INSULATING GLASS:** Window panes separated by an air- or other gas-filled space to reduce heat transfer.

**INTERLAYER:** A shatterproof membrane sandwiched between two panes of glass.

**INTERNATIONAL BUILDING CODE:** A model building code developed by the International Code Council that has been adopted throughout most of the United States.

**LAMINATED GLASS:** Two panes of glass bonded together with a strong, clear interlayer.

**LAMINATED INSULATING GLASS:** Comprised of three panes of glass: two panes bonded together with a strong, clear interlayer and one pane for added insulation.

**LARGE-MISSILE IMPACT:** Test used on windows and doors in which a 9-lb 2' x 4' traveling at 50 ft. per second is propelled at a speed of 34 mph into test subject.

**LOW-E (EMISSIVITY) GLASS:** Glass with a transparent, metallic oxide coating applied onto or into a glass surface. The coating typically allows short-wave energy to pass through but reflects long-wave infrared energy, which improves the U-value.

**MIAMI-DADE NOTICE OF ACCEPTANCE:** Protocol for testing windows for impact by large or small missiles.

**NATIONAL FENESTRATION RATING COUNCIL (NFRC):** A non-profit organization that provides energy performance ratings on windows, doors, skylights, and attachment products.

**PRIVACY GLASS:** Glass that has been made translucent instead of transparent.

**SEA TURTLE PROTECTION CODE:** Protects sea turtles along the Florida coastline during nesting season by restricting the amount of light permitted through windows and doors.

**SOUND TRANSMISSION CLASS (STC):** An integer rating that provides an estimate of the sound insulation performance of an interior building partition (such as a window or door) between indoor spaces. The higher the number, the less sound is transmitted.

**TEMPERED GLASS:** Treated glass that is strengthened by reheating it to just below the melting point and then suddenly cooling it. When shattered, it breaks into small pieces. Approximately four times stronger than standard annealed glass; is required as safety glazing in patio doors, entrance doors, sidelites, and other hazardous locations. It cannot be recut after tempering (annealed: retains thermal stresses caused by quenching).

**ULTRA-VIOLET (UV):** The invisible rays of the spectrum that are outside of the visible spectrum at its short-wavelength violet end. Ultraviolet rays are found in everyday sunlight and can cause fading of paint finishes, carpets, and fabrics.

**WINDOW OPENING CONTROL DEVICE:** A device that limits the opening of a window sash to a predetermined position. The device includes a release mechanism that shall allow the sash to be fully opened and that automatically resets when a window is fully closed.



# LIMITED WARRANTY

Custom Windows and Doors

## WHAT THIS LIMITED WARRANTY COVERS

PGT Custom Windows + Doors (PGT), warrants to the original residential homeowner that any PGT manufactured product shall be free of material defects in manufacturing and/or materials for the applicable period specified in the tables below. This limited warranty applies to the products under normal use and service, subject to the conditions, exclusions and limitations described in this limited warranty, and for only so long as the original owner owns and resides in the home where the products are installed, subject to the limited transferability exception described in the paragraph below entitled "Transferability."

**PGT'S LIABILITY UNDER THIS LIMITED WARRANTY SHALL BE LIMITED TO THE REPAIR OR, AT PGT'S OPTION, REPLACEMENT OF NONCONFORMING GOODS OR PARTS. PGT SHALL NOT BE RESPONSIBLE FOR ANY LABOR OR DELIVERY COSTS INCURRED IN REPAIRING OR REPLACING THE PRODUCTS, OR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY ARISE OUT OF A CLAIM FOR BREACH OF THIS WARRANTY, INCLUDING WITHOUT LIMITATION, ANY WATER OR OTHER DAMAGES TO CEILINGS, WALLS, FLOORS, ELECTRONICS OR APPLIANCES WITHIN A RESIDENCE.**

## WHAT THIS LIMITED WARRANTY DOES NOT COVER; EXCLUSIONS

This limited warranty covers only those manufacturing and material defects as specified herein and does not apply to, cover, or include defects or damages attributable to or caused by:

Improper installation, improper storage, improper application or use, failure to adhere to PGT's recommended cleaning and other product care and maintenance instructions, improper maintenance or cleaning, normal weathering, corrosive or otherwise abnormal environments, condensation (except as described in the section below entitled "Insulating Glass Unit"), accident, fire, flood, acts of God, multiple hurricanes, water intrusion, including but not limited to water intrusion caused by wind-driven rain due to high wind events, vandalism, riot or civil disorder, building settlement, excessive building movement or structural failures of walls or foundations, localized heat which causes excessive temperature differentials over glass surface edges, aluminum components having direct contact with a copper treated wood, such as Alkaline Copper Quaternary (ACQ), naturally occurring changes such as tarnish, corrosion, oxidization, or discoloration of hardware finishes or component parts, occurrences beyond PGT's control.

This limited warranty shall be null and void if harmful solvents are used to clean the product; or if any portion of the product is painted or coated in any way at any time after the product leaves PGT's factory; or if any other "aftermarket" products, such as window films, are applied to the PGT product.

Caulking is used on some installations to seal the frames (or trim package) against water or air penetration. Caulking is not considered a part of the PGT product and, therefore, is not covered under this warranty. Caulking is a maintenance responsibility of the owner.

**YOUR LIMITED REMEDIES IF PGT'S PRODUCT DOES NOT CONFORM TO THIS LIMITED WARRANTY PGT'S SOLE RESPONSIBILITY UNDER THIS WARRANTY IS LIMITED TO PROVIDING COMPONENTS OR PARTS NECESSARY TO REPAIR OR, AT PGT'S OPTION, REPLACE THE PRODUCTS COVERED BY THIS WARRANTY, FREE-OF-CHARGE OR AT A PRORATED PRICE PER THE GUIDELINES OF THIS WARRANTY THAT ARE SET FORTH IN THE TABLES BELOW. PGT SHALL NOT BE RESPONSIBLE FOR ANY LABOR OR DELIVERY COSTS INCURRED IN REPAIRING OR REPLACING THE PRODUCTS OR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY ARISE OUT OF A CLAIM FOR BREACH OF THIS WARRANTY.**

**THE ORIGINAL WARRANTY PERIOD SHALL NOT BE EXTENDED BY SUCH REPAIR OR REPLACEMENT.**

**REPLACEMENT PRODUCTS MAY NOT MATCH THE COLOR OF THE ORIGINAL PRODUCT, OR THE COLOR OF THE REMAINING WINDOWS AND DOORS IN THE HOME, AS COLOR MAY VARY DUE TO AGE, WEATHERING, DYE LOT DIFFERENCES OR OTHER FACTORS. PGT WILL NOT BE RESPONSIBLE OR LIABLE FOR ANY SUCH COLOR DIFFERENCES ASSOCIATED WITH ANY REPLACEMENT PRODUCT, AND WILL NOT BE REQUIRED TO HAVE THE REPLACEMENT PRODUCT "MATCH" THE COLOR OF THE ORIGINAL PRODUCT THAT IS BEING REPLACED, OR ANY OF THE WINDOWS OR DOORS THAT REMAIN IN THE HOME.**

PGT reserves the right to discontinue or change the design and specification of any product it manufactures. Should the component of the product originally installed not be available, PGT shall have the right to substitute such part determined by PGT to be of equal quality and performance.

**THIS WARRANTY COVERS ONLY THOSE PGT PRODUCTS LISTED BELOW THAT ARE INSTALLED IN OWNER-OCCUPIED RESIDENTIAL HOMES. THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER'S SPECIFIED LOCATION.**

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
Frame	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime
Frame Finish	10 years	10 years	10 years	Limited Lifetime, 10 years on colored / laminated finishes	Limited Lifetime, 10 years on colored / laminated finishes
Hardware, Screens and Moving Parts	10 years	10 years	10 years	Limited Lifetime	Limited Lifetime
Insulating Glass	10 years	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price
Laminated Glass	Not Applicable	Not Applicable	10 years	Not applicable	10 years
Stress Cracks	1 year	1 year	1 year	1 year	1 year
Transferable	1 time	Unlimited	Unlimited	Unlimited	Unlimited
Residential Intruder Protection	Not applicable	Not applicable	Included	Not applicable	Included

## IMPORTANT COVERAGE INFORMATION:

**Frame**  
Aluminum components are warranted to be free of defects in materials and workmanship. It is typical for anodized products to have color variation and processing marks that occur during manufacturing. These are not considered defects or covered under the warranty. This limited warranty is null and void if any aluminum component has direct contact with a copper treated wood, such as Alkaline Copper Quaternary (ACQ).

The vinyl components of the frame/sash members are warranted against defects resulting from blistering, chipping, cracking, peeling, corroding, or pitting. Colored or laminated exterior and interior finishes are warranted against peeling, blistering or excessive color changes. This limited warranty is null and void if damage is caused by harmful cleaners or other chemical or environmental factors, or by any of the other warranty exclusions set forth herein, including exclusions described above.

## Hardware, Screen and Moving Parts

PGT warrants that mechanical operation of hardware, screen, and moving components will be free of defects in material and workmanship for the applicable warranty period described in the table above. This limited warranty excludes normal wear and tear and naturally occurring changes such as tarnish, corrosion, oxidization or discoloration of hardware finishes or component parts, as well as any of the other warranty exclusions set forth herein, including the exclusions described above.

## Glass

Glass has prevalent characteristics such as distortion, bubbles, discolorations, blurs, debris, and scratches. These types of characteristics are expected, and are excluded from this limited warranty, as they are inherent qualities that meet or exceed standard specifications for flat glass ASTM C 1036, heat treated flat glass ASTM C 1048, and laminated architectural flat glass ASTM C 1172. Heat strengthened or tempered glass may have distortions as an inherent quality, and such distortions are excluded from this limited warranty. Glass with special coatings may require special cleaning. Visit [www.pgtwindows.com](http://www.pgtwindows.com) for additional care and maintenance information and glass policies.

Failure to adhere to cleaning and any other recommended care and maintenance will void this limited warranty, as will any of the other exclusions set forth herein, including the exclusions described above.

**LIMITED WARRANTY**

**Laminated Glass Unit**

The glass is warranted to be free of defects that result in material obstruction of vision or delamination for the applicable time period specified in the table above.

**Insulating Glass Unit**

The sealed glass component is warranted to be free of defects that result in material obstruction of vision or film formation caused by dust or moisture in the dead air space of a sealed unit, for the applicable period of time specified in the table above.

**Stress Cracks**

Stress cracks in glass panels outside of PGT’s Glass Policy guidelines or resulting from natural settlement or extreme thermal changes between inside and outside temperatures are not considered defects in materials and/or workmanship.

**Transferability**

This limited lifetime warranty is transferable to subsequent owner(s) as specified herein provided PGT receives notice of transfer of title of the registered property within thirty (30) days after the date of ownership transfer, and provided such notice is accompanied by a copy of this Warranty and the order number for no additional fee. If this limited warranty has not already expired or been voided for other reasons, it will be extended to the subsequent owner for ten (10) years from the date PGT delivers product to our customer’s specified location, subject to the conditions, exclusions and limitations described elsewhere in this limited warranty.

**Residential Intruder Protection**

For WinGuard® Aluminum and WinGuard® Vinyl products, PGT warrants that for a period of ten (10) years following the date of delivery to our customer’s specified location, PGT will reimburse the original residential homeowner for property loss arising out of a burglary due to an entry through a locked pane of impact-resistant, Missile Class D, glass which has been smashed or broken by a burglar up to a maximum of the owner’s insurance deductible (not to exceed One Thousand Dollars (\$1,000)). In order to file a claim, the customer must within 30 days of the burglary provide PGT proof of purchase, a copy of the police report, a copy of the loss claim notice to the customer’s insurance company for the burglary and two pictures of the broken WinGuard® window or door which shows the logo of the glass manufacturer.

**Supplemental Commercial Warranty Language: Commercial, Investment, and Non-Owner-Occupied Residential Dwellings**

PGT products installed in non-owner-occupied dwellings such as apartments and rental homes, or used for commercial purposes such as schools, churches, hospitals, government owned structures and office buildings are covered by this limited warranty only as set forth in the table below and are subject to all of the exclusions described in this limited warranty, including those exclusions listed on the first page of this limited warranty.

**THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER’S SPECIFIED LOCATION.**

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
<b>Frame</b>	Excluded	5 years	5 years	10 years	10 years
Frame Finish	Excluded	5 years	5 years	10 years, colored / laminated finishes Excluded	10 years, colored / laminated finishes Excluded
Hardware, Screens and Moving Parts	Excluded	3 years	3 years	3 years	3 years
Insulating Glass	Excluded	10 years	10 years	10 years	10 years
Laminated Glass	Not Applicable	Not Applicable	5 years	Not applicable	5 years
Stress Cracks	Excluded	Excluded	1 year	Excluded	1 year
Transferable	Excluded	Excluded	Excluded	Excluded	Excluded
Residential Intruder Protection	Not applicable	Not applicable	Excluded	Not applicable	Excluded

**Supplemental Export Warranty Language: PGT Products Installed Outside the Continental United States**

PGT’s liability under this limited warranty shall be limited to the replacement of nonconforming goods or parts or, at PGT’s option, refund the amount of purchase paid to PGT, subject to the provisions set forth in the table below. PGT shall not be responsible for on-site inspections or warranty repairs and shall not be responsible for any labor or delivery costs associated with repairing or replacing products, or for any consequential damages.

**THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER’S SPECIFIED LOCATION.**

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
<b>Frame</b>	Excluded	10 years	10 years	10 years	10 years
Frame Finish	Excluded	10 years	10 years	10 years, 5 years on colored / laminated finishes	10 years, 5 years on colored / laminated finishes
Hardware, Screens and Moving Parts	Excluded	3 years	3 years	3 years	3 years
Insulating Glass	Excluded	10 years	10 years	5 years	10 years
Laminated Glass	Not Applicable	Not Applicable	5 years	Not applicable	5 years
Stress Cracks	Excluded	Excluded	Excluded	Excluded	Excluded
Transferable	Excluded	Excluded	Excluded	Excluded	Excluded
Residential Intruder Protection	Not applicable	Not applicable	Excluded	Not applicable	Excluded

**Owner Responsibility**

The life of your windows and doors increases with proper care and maintenance, and products require reasonable care and periodic cleaning. In salt-air environments, increased care and maintenance is required. Visit [www.pgtwindows.com](http://www.pgtwindows.com) for additional care and maintenance information. The failure to follow recommended cleaning, care and maintenance requirements will void this limited warranty.

**Claim Procedure**

Any claim for defect under this limited warranty must be submitted promptly after discovery to the independent dealer or distributor from whom the product was purchased and within the warranty period specified above. If you cannot locate the independent dealer or distributor from whom the product was purchased, you may contact PGT for assistance at [warranty@pgtindustries.com](mailto:warranty@pgtindustries.com) or call 800-282-6019. To help us serve you better, all claims must include proof of purchase, product identification or order number, the address where the product is installed, and a description of the problem.

Some states do not allow the exclusion or limitation of incidental or consequential damages or the limitation of remedies for a breach of warranty, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

\*\*\* NO DISTRIBUTOR, DEALER, OR REPRESENTATIVE OF PGT HAS THE AUTHORITY TO CHANGE OR MODIFY THIS WARRANTY IN ANY RESPECT, EITHER ORALLY OR IN WRITING. EXCEPT AS EXPRESSLY PROVIDED IN THIS WARRANTY. PGT MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY, NO WARRANTY OF FITNESS FOR PARTICULAR PURPOSE, AND NO WARRANTY OF NONINFRINGEMENT, AND PGT DISCLAIMS ALL WARRANTIES NOT EXPRESSLY PROVIDED HEREIN. \*\*\*



Preferred Sliding Glass Door SGD770  
Photo features Lee Wetherington Homes. [lw homes.com](http://lw homes.com)



INVENT. BUILD. DELIVER.

A collection of the best brands in windows and doors coming together to invent, build, and deliver the highest-quality and safest products in the fenestration industry.

THE PGT INNOVATIONS FAMILY OF BRANDS

---



PGTWINDOWS.COM | N. VENICE, FL

©2020 PGT CUSTOM WINDOWS + DOORS. A PGT INNOVATIONS BRAND.

09/20 MC0100590