

WinGuard®

VINYL
IMPACT



P&G WinGuard®
VINYL

BUILT WITH CLEAR PURPOSE.

Exceptional safety and energy efficiency.



Preferred Sliding Glass Door SGD5570



Single Hung SH5500



Picture Window PW5520 and Horizontal Roller HR5510



Designed to protect your family and your wallet.

PGT® WINGUARD® VINYL

All windows and doors can provide a view. But at PGT® Custom Windows + Doors, we believe in doing more. That's why our vinyl impact-resistant products protect against the fiercest storms and more while lowering your energy bills. It's also why, for more than 40 years, our purpose has been providing homeowners with custom windows and doors that fit their unique lifestyles.

When you choose PGT® Custom Windows + Doors, you're getting a product we trust in our own homes, so you can have complete peace of mind in yours. That's why we work every day with clear purpose.

The #1 brand of impact-resistant windows and doors.



PROTECTION FROM THE EVERYDAY AND THE ONCE IN A LIFETIME.

This product line's exceptional engineering offers peace of mind from storms, stray baseballs, sound pollution, UV rays, and would-be intruders. Heavy-duty frames hold impact-resistant glass, which acts as the primary line of defense against life's most demanding situations.

The top brand of impact-resistant products also saves you time and money. WinGuard® Vinyl's multi-chamber window and door frames reduce heat transmission and help keep your energy bills lower year round. Impact-resistant products also help reduce insurance premiums while increasing the overall value of your home. Plus, you can skip unsightly shutters or plywood that may take hours to install.



Picture Window PW5520 and Double Hung DH5560



09

PERFORMANCE

WinGuard® Vinyl offers a winning combination of strength, energy efficiency, and beauty.



11

TESTING

We test our windows and doors relentlessly, so you can enjoy the view in safety and comfort.



13

CUSTOMIZATION


Your home is as unique as you are. Our windows and doors help reflect your personal style.



16

WINGUARD® VINYL FEATURES

WinGuard® Vinyl products come with a full suite of standard features for built-in protection and energy efficiency.



19 / GRID STYLES AND PATTERNS

WinGuard® Vinyl products are available with a variety of grid styles and patterns that complement any design requirements.



21 / PRODUCT STYLES

Single Hung. Double Hung. Horizontal Roller. Casement. Awning. Picture Window. Sliding Glass Door. French Door.


FOLLOW US



@pgtwindowsdoors

“The engineering advancements we’ve applied to our WinGuard® product line allow us to offer larger sizes and higher design pressures — as well as our most beautiful profile ever.”

—KEN VANDERBENT
LEAD DESIGN ENGINEER



The Cover

**PREFERRED SLIDING
GLASS DOORS**

Preferred Sliding Glass Door SGD5570



Security through life's storms.


EFFORTLESS HURRICANE PROTECTION™

WHAT MAKES WINGUARD® SO STRONG?

When we talk about WinGuard® Vinyl's strength, we're referring to every component of the product. From the laminated impact-resistant glass and the energy-saving vinyl frame with our patented technology to the high design pressures these products can achieve. Strength is the central element of our design. For you, it means peace of mind, with protection from flying debris carried by hurricane-force winds. It means protecting your home from would-be intruders and damaging UV rays. And it means keeping outside noise where it belongs.

"The wind gusts [during Hurricane Irma] reached 100 mph, trees were bent 45 degrees, and we didn't hear a thing. It was like we were watching a thunderstorm on TV, and the TV was on mute."

—DERRICK O., CUSTOMER



PGT® WINGUARD® VINYL MAKES ENERGY-EFFICIENCY POSSIBLE

Each impact-resistant window and door comes standard with laminated insulating glass—a total of three panes. Two panes are bonded together with a strong, clear interlayer, providing impact resistance. A third pane provides added insulation.

Each window and door also features multi-chambered, vinyl frames and warm-edge spacer technology, contributing to its energy efficiency.

Enjoy further benefits from WinGuard® Vinyl with options to achieve ENERGY STAR® ratings, including:

- High-performance Low-E to deflect solar heat gain and keep unwanted heat outside your home.
- Glass tints can help reduce heat transmitted through windows.
- Argon gas, which helps reflect outside heat to regulate the temperatures inside your home.

ENERGY STAR® products are independently certified to save energy without sacrificing features or functionality. In order to earn the label, PGT® WinGuard® products are third-party certified based on testing in EPA-recognized laboratories. See the Glossary of Terms for more details on Low-E certifications and testing protocols.



T E S T I N G

Windows and doors put to the test.

OVER FOUR MILLION UNITS INSTALLED WITH ZERO REPORTED IMPACT FAILURES.



Following the devastation of Hurricane Andrew in 1992, PGT® collaborated with Florida building officials to develop stricter construction standards, resulting in the Miami-Dade Notice of Acceptance (NOA) — the most stringent building code in the country. As the nation's authority on impact-resistant windows and doors, PGT® Custom Windows + Doors offers vinyl products that have all been issued a Miami-Dade NOA, certifying they meet the highest level of structural integrity. In fact, our company holds the most NOAs in the country.

All PGT® products are continuously tested, certified, approved, and rated by the industry's most respected, accredited organizations. WinGuard® Vinyl certifications, ratings, and testing include:

- Miami-Dade Notice of Acceptance
- AAMA Tested/Keystone Certified
- Florida Product Approval
- International Building Code
- ENERGY STAR®
- National Fenestration Rating Council® (NFRC)
- Texas Department of Insurance
- STC (Sound Transmission Class)
- OITC (Outdoor-Indoor Transmission Class)

See the Glossary of Terms for more details on each of these certifications and testing protocols.



WinGuard® products can withstand repeated impact from a 9-lb. 2 x 4 beam traveling at 34 miles per hour, followed by hurricane-force winds. Even if the glass is damaged, it remains securely in its frame, keeping the elements outside.

Additionally, we have our own state-of-the-art testing lab, where we spend hundreds of hours analyzing and evaluating our products. WinGuard® Vinyl windows and doors are designed to meet or exceed the International Building Code standards for:

- Air infiltration
- Deglazing
- Structural integrity
- Residential intruder protection
- Water resistance
- Forced-entry resistance
- Small and large missile impact protection

We go through this testing, not only for your peace of mind but for ours as well. Our job is done only when you and your family are safe behind our products.

THIS SUPERIOR PERFORMANCE IS ALL BACKED BY ONE OF THE BEST WARRANTIES IN THE INDUSTRY.

WinGuard® Vinyl products include:

- Lifetime warranty on the frames
- Lifetime warranty on insulating glass component
- 10-year warranty on laminated glass component



Preferred Sliding Glass Door SGD5570 and
Fixed Lite Architectural Window AR5520

C U S T O M I Z A T I O N



The perfect fit for your home.

EVERY WINDOW AND DOOR FOR YOUR PROJECT.

Your style — and your home — is as unique as you. That's why we customize each of our products to fit your exact specifications. From product size and frame colors to style elements and glass performance, all WinGuard® products can be designed for a consistent look that reflects your home's personality.

WINGUARD® VINYL CUSTOMIZABLE OPTIONS INCLUDE:

- Sizes
- Flexible Designs
- Frame colors
- Hardware finishes
- Glass tints
- Grid styles, colors, and patterns
- High-performance Low-E
- Privacy glass
- Sea Turtle Protection Code glass option

See the Glossary of Terms for more details on some of the customizable options..

Make it personal.


Standard Features

Adding unique value and energy efficiency to your project, WinGuard® Vinyl builds on the exceptional strength and impact-resistant benefits of the WinGuard® Aluminum line and incorporates the energy-efficient components of vinyl and laminated insulating glass. This line is ideal for new construction, remodeling, and replacement projects.

STANDARD INTERIOR AND EXTERIOR FRAME COLORS

● White

Grid Styles




TRADITIONAL SIMULATED DIVIDED LITE GRIDS

- 7/8" wide raised ogee applied to exterior and interior with 9/16" wide bronze shadow bar between the glass



FLAT GRIDS

- 9/16" wide or 13/16" wide flat grids between the glass




CONTOURED GRIDS


- 1" wide grid between the glass

EVERY PGT® PRODUCT COMES WITH ALL THE OPTIONS YOU NEED TO COMPLEMENT THE LOOK AND FEEL OF YOUR HOME.

Grid Patterns



STANDARD






BRITTANY / PRAIRIE

Premium Options

GLASS

- High-performance Low-E
- Heat-strengthened glass
- Privacy glass
- Popular glass tints
- Argon gas

FRAME COLORS*

-  Bronze
-  Black
-  Beige

Custom frame colors are also available. See the Glossary of Terms for more details.

**Black is only available on the exterior for the Preferred French Door FD5555.*

W I N D O W S

Frame your views.

WITH SAFETY, BEAUTY,
AND STRENGTH.



Preferred Sliding Glass Door SGD5570





Casement CA5540 and Picture Window PW5540



SINGLE HUNG



DOUBLE HUNG

Single Hung (*SH5500*) and Double Hung (*DH5560*)

FLEXIBLE DESIGN

- Radius Top and Arch Top
- Proview/Oriel, Cottage and custom configurations are also available

EASY OPENING AND CLOSING

- Various balance systems for large, small and heavy sashes ensures effortless operation
- Constant Force or Spiral balance system
- ComfortLift handles

REMOVABLE SASH DESIGN

- Clean the exterior part of the window more easily

EXCEPTIONAL STRENGTH

- Welded sash corners create a strong seal
- SecureConnect corner keys ensure optimal performance on any-sized window
- Aluminum interlock enhances strength on larger sizes/design pressures


OPTIONAL HARDWARE

- Vent latch allows fresh air to enter the room without opening the window completely
- Window Opening Control Device delivers a deeper level of safety and security

Single Hung SH5500 and Preferred French Door FD5555



Single Hung
Radius Top with
Equal Sash



Single Hung Arch
Top with Proview/
Oriel Sash

Horizontal Roller (HR5510)

FLEXIBLE DESIGN

- 2- and 3-lite configurations

EASY OPENING AND CLOSING

- Ball bearing wheel allows for finger-smooth operation

REMOVABLE SASH DESIGN

- Clean the exterior part of the window more easily

EXCEPTIONAL STRENGTH

- Welded sash corners create a strong seal
- SecureConnect corner keys ensure optimal performance on any-sized window
- Aluminum interlock enhances strength on larger sizes/design pressures

OPTIONAL HARDWARE


- Vent latch allows fresh air to enter the room without opening the window completely
- Window Opening Control Device delivers a deeper level of safety and security




**HORIZONTAL ROLLER
(2-LITE)**



**HORIZONTAL ROLLER
(3-LITE)**



Unequal Lite



Equal Lite

Horizontal Roller HR5510





Casement CA5540

W I N D O W S

Casement (CA5540)

MODULAR DESIGN

- Single unit hinged for opening either left or right
- Matching Awning and Fixed Lite Picture Window

MULTI-POINT LOCKING SYSTEM

- Provides added strength and security

WASHABLE HINGE

- Allow for easy cleaning from inside your home

FOLDAWAY HANDLE

- Will not interfere with window treatments

EXCEPTIONAL STRENGTH

- TrueHold hinge ensures durable sash operation on larger windows

**CASEMENT**

Awning (AW5540)

MODULAR DESIGN

- Hinged along the top
- Individual vent units can be mulled vertically or horizontally for custom configurations
- Matching Casement and Fixed Lite Picture Window

MULTI-POINT LOCKING SYSTEM

- Provides added strength and security

FOLDAWAY HANDLE

- Will not interfere with window treatments

**AWNING**



PICTURE WINDOW

Fixed Lite Picture Window/Architectural (PW/AR5520)

FIXED (NON-OPERABLE) WINDOWS


- Often used as accent windows

MAXIMIZES THE VIEW

- Fills the room with a substantial amount of light
- Serves as a standalone or companion window

MODULAR DESIGN

- Available in a variety of architectural shapes and sizes



CASEMENT PICTURE WINDOW

Fixed Lite Casement Picture Window/Architectural (PW/AR5540)

FIXED (NON-OPERABLE) WINDOWS

- Often used as accent windows

MAXIMIZES THE VIEW

- Fills the room with a substantial amount of light
- Serves as a standalone or companion window

MODULAR DESIGN

- Matching Casement and Awning
- Available in a variety of architectural shapes and sizes





Awning AW5540, Picture Window PW5540,
and Preferred Sliding Glass Door SGD5570



Preferred Sliding Glass Door SGD5570

D O O R S

Close the door on hurricanes, stray golf balls, and would-be intruders.

“My sliding glass door is like the door to a bank vault. I knew my family and all my belongings would be safe during the hurricane.”

—DERRICK O., CUSTOMER





Preferred Sliding Glass Door SGD5570
and Picture Window PW5520

D O O R S

Preferred Sliding Glass Door (SGD5570)

AWARD-WINNING DOOR

- #1 in Quality Patio Doors*

EASY OPENING

- Smooth fingertip operation and whisper-quiet

PANORAMIC VIEWS

- Uninterrupted views and a great source of natural light

DUAL-POINT LOCKING SYSTEM

- Provides added security by restricting panels from being lifted off the tracks

OPTIONAL ARCHITECTURAL ENHANCEMENTS

- Raised, curved, or contemporary handles

OPTIONAL SCREENS

- Standard or heavy-duty



PREFERRED SLIDING GLASS DOOR

STANDARD HARDWARE OPTIONS

Standard raised handle



PREMIUM HARDWARE OPTIONS

Contemporary handle



Curved handle



*2019 Builder Brand Use Report.



PREFERRED FRENCH DOOR

Preferred French Door (FD5555)

AWARD-WINNING DOOR

- #1 in Quality Patio Doors*

EASY OPENING

- Heavy-duty hinge supports the weight of the door

MULTI-POINT LOCKING SYSTEM

- Provides added strength and security

MODULAR DESIGN

- Fill large openings with matching sidelites and transoms that provide additional light

PREPPED FOR INDUSTRY-STANDARD HARDWARE

- Accommodates an array of handle and deadbolt hardware

STANDARD HARDWARE OPTIONS

Series 800 handle




PREMIUM HARDWARE OPTIONS

Series 100 handle



Contemporary handle



*2019 Builder Brand Use Report.





GLOSSARY OF TERMS

ARGON GAS: A safe, odorless, colorless, non-toxic, non-flammable inert gas that is commonly used in place of air between the glass panes of an insulated Low-E glass unit to reduce temperature transfer.

CORROSION-RESISTANT: Refers to how well a substance can withstand damage caused by oxidization or other chemical reactions.

DESIGN PRESSURE: Wind load pressure, usually expressed in pounds per square foot (psf). Equal to 2/3 of the Structural Test Load.

ENERGY STAR®: An independent U.S. government program that establishes a standard set of guidelines to recognize the energy efficiency of various products. ENERGY STAR® guidelines are used in conjunction with a variety of building materials, including windows and patio doors.

FLORIDA PRODUCT APPROVAL: A series of tests performed by a State of Florida approved testing lab to ensure certain building components meet Florida standards.

FORCED-ENTRY RESISTANCE: The test methods intended to establish a measure of resistance for window assemblies subjected to attacks, other than by impact.

IMPACT-RESISTANT: Shatter-resistant glass. When the glass breaks, the shattered pieces will adhere to the intermediate shatterproof membrane.

INSULATING GLASS: Window panes separated by an air or other gas-filled space to reduce heat transfer.

INTERLAYER: A shatterproof membrane sandwiched between two panes of glass.

INTERNATIONAL BUILDING CODE: A model building code developed by the International Code Council that has been adopted throughout most of the United States.

LAMINATED GLASS: Two panes of glass bonded together with a strong, clear interlayer.

LAMINATED INSULATING GLASS: Comprised of three panes of glass: two panes bonded together with a strong, clear interlayer and one pane for added insulation.

LARGE MISSILE IMPACT: Test used on windows and doors in which a 9-lb 2' x 4' traveling at 50 ft. per second is propelled at a speed of 34 mph into test subject.

LOW-E (EMISSION) GLASS: Glass with a transparent, metallic oxide coating applied onto or into a glass surface. The coating typically allows short-wave energy to pass through but reflects long-wave infrared energy, which improves the U-value.

MIAMI-DADE NOTICE OF ACCEPTANCE: Protocol for testing windows for impact by large or small missiles.

MULTI-CHAMBERED FRAME: Frame member that has multiple core construction to provide strength and insulation.

NATIONAL FENESTRATION RATING COUNCIL (NFRC): A non-profit organization that provides energy performance ratings on windows, doors, skylights, and attachment products.

OUTDOOR-INDOOR TRANSMISSION CLASS (OITC): An integer rating that provides an estimate of the sound insulation performance of a façade or building element (such as a window or door) between outdoor and indoor spaces. The higher the number, the less sound is transmitted.

PRIVACY GLASS: Glass that has been made translucent instead of transparent.

SEA TURTLE PROTECTION CODE: Protects sea turtles along the Florida coastline during nesting season by restricting the amount of light permitted through windows and doors.

SOUND TRANSMISSION CLASS (STC): An integer rating that provides an estimate of the sound insulation performance of an interior building partition (such as a window or door) between indoor spaces. The higher the number, the less sound is transmitted.

TEMPERED GLASS: Treated glass that is strengthened by reheating it to just below the melting point and then suddenly cooling it. When shattered, it breaks into small pieces. Approximately four times stronger than standard annealed glass; is required as safety glazing in patio doors, entrance doors, side lights, and other hazardous locations. It cannot be recut after tempering (annealed: retains thermal stresses caused by quenching).

TEXAS DEPARTMENT OF INSURANCE (TDI): A governing organization in Texas that reviews window and door products and approves that such products are tested and certified in accordance with their policies.

ULTRA-VIOLET (UV): The invisible rays of the spectrum that are outside of the visible spectrum at its short-wavelength violet end. Ultraviolet rays are found in everyday sunlight and can cause fading of paint finishes, carpets, and fabrics.

VINYL: A rigid or flexible material made of polyvinyl chloride material used in window and door frames and glazing.

WASHABLE HINGES: Track-type hinges on casement windows that, aside from normal operation, have the ability to slide towards frame center and allow for easy sash cleaning.

WINDOW OPENING CONTROL DEVICE: A device that limits the opening of a window sash to a predetermined position. The device includes a release mechanism that shall allow the sash to be fully opened and that automatically resets when a window is fully closed.



LIMITED WARRANTY

Custom Windows and Doors

WHAT THIS LIMITED WARRANTY COVERS

PGT Custom Windows + Doors (PGT), warrants to the original residential homeowner that any PGT manufactured product shall be free of material defects in manufacturing and/or materials for the applicable period specified in the tables below. This limited warranty applies to the products under normal use and service, subject to the conditions, exclusions and limitations described in this limited warranty, and for only so long as the original owner owns and resides in the home where the products are installed, subject to the limited transferability exception described in the paragraph below entitled "Transferability."

PGT'S LIABILITY UNDER THIS LIMITED WARRANTY SHALL BE LIMITED TO THE REPAIR OR, AT PGT'S OPTION, REPLACEMENT OF NONCONFORMING GOODS OR PARTS. PGT SHALL NOT BE RESPONSIBLE FOR ANY LABOR OR DELIVERY COSTS INCURRED IN REPAIRING OR REPLACING THE PRODUCTS, OR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY ARISE OUT OF A CLAIM FOR BREACH OF THIS WARRANTY, INCLUDING WITHOUT LIMITATION, ANY WATER OR OTHER DAMAGES TO CEILINGS, WALLS, FLOORS, ELECTRONICS OR APPLIANCES WITHIN A RESIDENCE.

WHAT THIS LIMITED WARRANTY DOES NOT COVER; EXCLUSIONS

This limited warranty covers only those manufacturing and material defects as specified herein and does not apply to, cover, or include defects or damages attributable to or caused by:

Improper installation, improper storage, improper application or use, failure to adhere to PGT's recommended cleaning and other product care and maintenance instructions, improper maintenance or cleaning, normal weathering, corrosive or otherwise abnormal environments, condensation (except as described in the section below entitled "Insulating Glass Unit"), accident, fire, flood, acts of God, multiple hurricanes, water intrusion, including but not limited to water intrusion caused by wind-driven rain due to high wind events, vandalism, riot or civil disorder, building settlement, excessive building movement or structural failures of walls or foundations, localized heat which causes excessive temperature differentials over glass surface edges, aluminum components having direct contact with a copper treated wood, such as Alkaline Copper Quaternary (ACQ), naturally occurring changes such as tarnish, corrosion, oxidization, or discoloration of hardware finishes or component parts, occurrences beyond PGT's control.

This limited warranty shall be null and void if harmful solvents are used to clean the product; or if any portion of the product is painted or coated in any way at any time after the product leaves PGT's factory; or if any other "aftermarket" products, such as window films, are applied to the PGT product.

Caulking is used on some installations to seal the frames (or trim package) against water or air penetration. Caulking is not considered a part of the PGT product and, therefore, is not covered under this warranty. Caulking is a maintenance responsibility of the owner.

YOUR LIMITED REMEDIES IF PGT'S PRODUCT DOES NOT CONFORM TO THIS LIMITED WARRANTY PGT'S SOLE RESPONSIBILITY UNDER THIS WARRANTY IS LIMITED TO PROVIDING COMPONENTS OR PARTS NECESSARY TO REPAIR OR, AT PGT'S OPTION, REPLACE THE PRODUCTS COVERED BY THIS WARRANTY, FREE-OF-CHARGE OR AT A PRORATED PRICE PER THE GUIDELINES OF THIS WARRANTY THAT ARE SET FORTH IN THE TABLES BELOW. PGT SHALL NOT BE RESPONSIBLE FOR ANY LABOR OR DELIVERY COSTS INCURRED IN REPAIRING OR REPLACING THE PRODUCTS OR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY ARISE OUT OF A CLAIM FOR BREACH OF THIS WARRANTY.

THE ORIGINAL WARRANTY PERIOD SHALL NOT BE EXTENDED BY SUCH REPAIR OR REPLACEMENT.

REPLACEMENT PRODUCTS MAY NOT MATCH THE COLOR OF THE ORIGINAL PRODUCT, OR THE COLOR OF THE REMAINING WINDOWS AND DOORS IN THE HOME, AS COLOR MAY VARY DUE TO AGE, WEATHERING, DYE LOT DIFFERENCES OR OTHER FACTORS. PGT WILL NOT BE RESPONSIBLE OR LIABLE FOR ANY SUCH COLOR DIFFERENCES ASSOCIATED WITH ANY REPLACEMENT PRODUCT, AND WILL NOT BE REQUIRED TO HAVE THE REPLACEMENT PRODUCT "MATCH" THE COLOR OF THE ORIGINAL PRODUCT THAT IS BEING REPLACED, OR ANY OF THE WINDOWS OR DOORS THAT REMAIN IN THE HOME.

PGT reserves the right to discontinue or change the design and specification of any product it manufactures. Should the component of the product originally installed not be available, PGT shall have the right to substitute such part determined by PGT to be of equal quality and performance.

THIS WARRANTY COVERS ONLY THOSE PGT PRODUCTS LISTED BELOW THAT ARE INSTALLED IN OWNER-OCCUPIED RESIDENTIAL HOMES. THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER'S SPECIFIED LOCATION.

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
Frame	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime
Frame Finish	10 years	10 years	10 years	Limited Lifetime, 10 years on colored / laminated finishes	Limited Lifetime, 10 years on colored / laminated finishes
Hardware, Screens and Moving Parts	10 years	10 years	10 years	Limited Lifetime	Limited Lifetime
Insulating Glass	10 years	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price	0-25 years: 100% 26 years+: 50% of glass price
Laminated Glass	Not Applicable	Not Applicable	10 years	Not applicable	10 years
Stress Cracks	1 year	1 year	1 year	1 year	1 year
Transferable	1 time	Unlimited	Unlimited	Unlimited	Unlimited
Residential Intruder Protection	Not applicable	Not applicable	Included	Not applicable	Included

IMPORTANT COVERAGE INFORMATION:

Frame
Aluminum components are warranted to be free of defects in materials and workmanship. It is typical for anodized products to have color variation and processing marks that occur during manufacturing. These are not considered defects or covered under the warranty. This limited warranty is null and void if any aluminum component has direct contact with a copper treated wood, such as Alkaline Copper Quaternary (ACQ).

The vinyl components of the frame/sash members are warranted against defects resulting from blistering, chipping, cracking, peeling, corroding, or pitting. Colored or laminated exterior and interior finishes are warranted against peeling, blistering or excessive color changes. This limited warranty is null and void if damage is caused by harmful cleaners or other chemical or environmental factors, or by any of the other warranty exclusions set forth herein, including exclusions described above.

Hardware, Screen and Moving Parts

PGT warrants that mechanical operation of hardware, screen, and moving components will be free of defects in material and workmanship for the applicable warranty period described in the table above. This limited warranty excludes normal wear and tear and naturally occurring changes such as tarnish, corrosion, oxidization or discoloration of hardware finishes or component parts, as well as any of the other warranty exclusions set forth herein, including the exclusions described above.

Glass

Glass has prevalent characteristics such as distortion, bubbles, discolorations, blurs, debris, and scratches. These types of characteristics are expected, and are excluded from this limited warranty, as they are inherent qualities that meet or exceed standard specifications for flat glass ASTM C 1036, heat treated flat glass ASTM C 1048, and laminated architectural flat glass ASTM C 1172. Heat strengthened or tempered glass may have distortions as an inherent quality, and such distortions are excluded from this limited warranty. Glass with special coatings may require special cleaning. Visit www.pgtwindows.com for additional care and maintenance information and glass policies.

Failure to adhere to cleaning and any other recommended care and maintenance will void this limited warranty, as will any of the other exclusions set forth herein, including the exclusions described above.

LIMITED WARRANTY

Laminated Glass Unit

The glass is warranted to be free of defects that result in material obstruction of vision or delamination for the applicable time period specified in the table above.

Insulating Glass Unit

The sealed glass component is warranted to be free of defects that result in material obstruction of vision or film formation caused by dust or moisture in the dead air space of a sealed unit, for the applicable period of time specified in the table above.

Stress Cracks

Stress cracks in glass panels outside of PGT’s Glass Policy guidelines or resulting from natural settlement or extreme thermal changes between inside and outside temperatures are not considered defects in materials and/or workmanship.

Transferability

This limited lifetime warranty is transferable to subsequent owner(s) as specified herein provided PGT receives notice of transfer of title of the registered property within thirty (30) days after the date of ownership transfer, and provided such notice is accompanied by a copy of this Warranty and the order number for no additional fee. If this limited warranty has not already expired or been voided for other reasons, it will be extended to the subsequent owner for ten (10) years from the date PGT delivers product to our customer’s specified location, subject to the conditions, exclusions and limitations described elsewhere in this limited warranty.

Residential Intruder Protection

For WinGuard® Aluminum and WinGuard® Vinyl products, PGT warrants that for a period of ten (10) years following the date of delivery to our customer’s specified location, PGT will reimburse the original residential homeowner for property loss arising out of a burglary due to an entry through a locked pane of impact-resistant, Missile Class D, glass which has been smashed or broken by a burglar up to a maximum of the owner’s insurance deductible (not to exceed One Thousand Dollars (\$1,000)). In order to file a claim, the customer must within 30 days of the burglary provide PGT proof of purchase, a copy of the police report, a copy of the loss claim notice to the customer’s insurance company for the burglary and two pictures of the broken WinGuard® window or door which shows the logo of the glass manufacturer.

Supplemental Commercial Warranty Language: Commercial, Investment, and Non-Owner-Occupied Residential Dwellings

PGT products installed in non-owner-occupied dwellings such as apartments and rental homes, or used for commercial purposes such as schools, churches, hospitals, government owned structures and office buildings are covered by this limited warranty only as set forth in the table below and are subject to all of the exclusions described in this limited warranty, including those exclusions listed on the first page of this limited warranty.

THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER’S SPECIFIED LOCATION.

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
Frame	Excluded	5 years	5 years	10 years	10 years
Frame Finish	Excluded	5 years	5 years	10 years, colored / laminated finishes Excluded	10 years, colored / laminated finishes Excluded
Hardware, Screens and Moving Parts	Excluded	3 years	3 years	3 years	3 years
Insulating Glass	Excluded	10 years	10 years	10 years	10 years
Laminated Glass	Not Applicable	Not Applicable	5 years	Not applicable	5 years
Stress Cracks	Excluded	Excluded	1 year	Excluded	1 year
Transferable	Excluded	Excluded	Excluded	Excluded	Excluded
Residential Intruder Protection	Not applicable	Not applicable	Excluded	Not applicable	Excluded

Supplemental Export Warranty Language: PGT Products Installed Outside the Continental United States

PGT’s liability under this limited warranty shall be limited to the replacement of nonconforming goods or parts or, at PGT’s option, refund the amount of purchase paid to PGT, subject to the provisions set forth in the table below. PGT shall not be responsible for on-site inspections or warranty repairs and shall not be responsible for any labor or delivery costs associated with repairing or replacing products, or for any consequential damages.

THE WARRANTY PERIODS LISTED IN THE TABLE BELOW BEGIN ON THE DATE PGT DELIVERS PRODUCT TO OUR CUSTOMER’S SPECIFIED LOCATION.

	ClassicVue™ Aluminum	ClassicVue Max™ Aluminum	WinGuard® Aluminum	EnergyVue® Vinyl	WinGuard® Vinyl
Frame	Excluded	10 years	10 years	10 years	10 years
Frame Finish	Excluded	10 years	10 years	10 years, 5 years on colored / laminated finishes	10 years, 5 years on colored / laminated finishes
Hardware, Screens and Moving Parts	Excluded	3 years	3 years	3 years	3 years
Insulating Glass	Excluded	10 years	10 years	5 years	10 years
Laminated Glass	Not Applicable	Not Applicable	5 years	Not applicable	5 years
Stress Cracks	Excluded	Excluded	Excluded	Excluded	Excluded
Transferable	Excluded	Excluded	Excluded	Excluded	Excluded
Residential Intruder Protection	Not applicable	Not applicable	Excluded	Not applicable	Excluded

Owner Responsibility

The life of your windows and doors increases with proper care and maintenance, and products require reasonable care and periodic cleaning. In salt-air environments, increased care and maintenance is required. Visit www.pgtwindows.com for additional care and maintenance information. The failure to follow recommended cleaning, care and maintenance requirements will void this limited warranty.

Claim Procedure

Any claim for defect under this limited warranty must be submitted promptly after discovery to the independent dealer or distributor from whom the product was purchased and within the warranty period specified above. If you cannot locate the independent dealer or distributor from whom the product was purchased, you may contact PGT for assistance at warranty@pgtindustries.com or call 800-282-6019. To help us serve you better, all claims must include proof of purchase, product identification or order number, the address where the product is installed, and a description of the problem.

Some states do not allow the exclusion or limitation of incidental or consequential damages or the limitation of remedies for a breach of warranty, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

*** NO DISTRIBUTOR, DEALER, OR REPRESENTATIVE OF PGT HAS THE AUTHORITY TO CHANGE OR MODIFY THIS WARRANTY IN ANY RESPECT, EITHER ORALLY OR IN WRITING. EXCEPT AS EXPRESSLY PROVIDED IN THIS WARRANTY. PGT MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY, NO WARRANTY OF FITNESS FOR PARTICULAR PURPOSE, AND NO WARRANTY OF NONINFRINGEMENT, AND PGT DISCLAIMS ALL WARRANTIES NOT EXPRESSLY PROVIDED HEREIN. ***



Picture Window PW5540 and Casement CA5540



INVENT. BUILD. DELIVER.

A collection of the best brands in windows and doors coming together to invent, build, and deliver the highest-quality and safest products in the fenestration industry.

THE PGT INNOVATIONS FAMILY OF BRANDS



PGTWINDOWS.COM | N. VENICE, FL

©2020 PGT CUSTOM WINDOWS + DOORS. A PGT INNOVATIONS BRAND.

06/20 MC0100455